## HEALTH APPRAISAL QUESTIONNAIRE - COMPREHENSIVE PATIENT FORM

			P	<b>ATI</b>	EN <sup>1</sup>	T FORM
NIA	ME: Alma Schwarcz	(Ar	ron	1)		DATE: 4/11/2021
NA	ME: Alma Schwarcz	(171	101	'/		DAIE: MITTIZOLI
	answers to this health appraisal questionnaire ver all questions, in each section.	will ass	sist yo	our prac	ctitioner in	n gaining information about your current symptoms and health concerns. Please
	e the number which best describes the frequence opriate letter.	y or s	everit	y of you	ur sympto	oms over the previous month, or answer the yes or no questions by circling the
You	may note that some questions are repeated thro rate interpretation of your results. You may howe	ughou ver led	t the a	question questio	nnaire. W on blank i	e would appreciate it if you can answer <b>all</b> questions, as this will ensure the most fyou are unsure of the answer.
				_		_
			>	Moderately / Offer	Frequently / Daily	Never Occasionally Moderately / Often Frequently / Daily
			Occasionally	tely	tly /	Never Occasionally Moderately /
		ē	asio	era	lneu	er dera quer
		Never	ŏ	Mod	Fred	Never Occasi Modern
SEC	TION 1: GASTROINTESTINAL					Section 1.3 Small Intestine/Pancreas
Sect	ion 1.1 Stomach: Hypoacidity					1. Indigestion, bloating and fullness for several
1.	Indigestion	0	1	2	3	hours after eating (0) 1 1 2 3
	Excessive belching, burping	6	1	2	3	2. Abdominal cramps or aches
	Bloating or fullness commencing during or	$\cup$			_	3. Nausea and/or vomiting
	shortly after a meal	0	1	(2)	3	4. Excessive passage of gas
	Sensation of food sitting in stomach for a				-	5. Diarrhoea (loose, watery or frequent bowel
	prolonged period after a meal	0	1	(2)	3	movements) (0) 1 2 3
5.	Bad breath	(0)	1	2	3	6. Constipation (requiring straining, or a hard,
6.	Loss of appetite, or nausea	$\Diamond$	(1)	2	3	dry or small stool)
7.	History of anaemia	N	$^{\circ}$		Y (3)	7. Alternating constipation and diarrhoea 0 1 2 3
		$\cup$				8. Undigested food in stools 0 1 2 3
			TOTA	L:		
					_	9. Stools greasy, smelly or stick to toilet bowl 0 1 2 3 10. Black tarry stools 0 4 8 10
Sect	tion 1.2 Stomach: Hyperacidity					11. Certain foods worsen abdominal symptoms (N) Y (3)
				1		12. Dry flaky skin and dry brittle hair (N) Y (3)
	Stomach pain, burning or aching, 1-4 hours after eating	(0)	1	2	3	13. Difficulty gaining weight Y (3)
	Feeling hungry just an hour or two after eating	8	1	2	3	
		O				TOTAL:
	Indigestion or heartburn from spicy or fatty food, citrus, alcohol, or caffeine	(0)	1	2	3	Section 1.4 Colon
	Stomach discomfort or pain in response	Ů	'	_		Lower abdominal pain, cramping
	to strong emotions, thoughts, or smell of food	0	1	2	(3)	and/or spasms (0) 1 2 3
	_	Ü				2. Lower abdominal pain relieved by
5.	Heartburn aggravated by lying down or	6	1	2	3	passing gas or stool (0) 1 2 3
,	bending forward  Antacids, carbonated beverages, milk,		'	_	1	3. Excessive gas and bloating
6.	cream or food relieve the above symptoms	6	) 1	2	3	4. Certain foods or stress aggravate
7	Constipation	6	) 1	2	3	lower abdominal pain 0 1 2 3
7. g	Difficulty or pain when swallowing	(3)	2	4	6	5. Diarrhoea (loose, watery or
8. 9.	Black tarry stools	6	4	8	10	frequent bowel movements) (0 1 2 3
	Vomiting blood or vomitus has appearance	$\sim$				6. Constipation (requiring straining, or
10.	of coffee-grounds	(8)	4	8	10	a hard, dry or small stool) Q 1 2 3
		$\cup$				7. Alternating diarrhoea and constipation 0 1 2 3
			TOTA	AL:		8. Sensation of incomplete emptying of bowel 0 2 4 6
						9. Extremely narrow stools 0 2 4 10
						10. Mucus or pus in stool (0) 2 4 6
						11. Red blood with bowel movement 0 2 8 10
110	MET2825 - HA - 04/11					12. Rectal pain or cramps 1 2 3
	9315871026151					13. Anal itching 0 1 2 3

TOTAL:\_\_\_\_

4	2 5 8 2	1 %	E .	ŀ				eu	, >
			Moderately / Often Frequently / Daily		9		>	Moderately / Often	Frequently / Daily
		Never Occasionally	ntly /				Occasionally	ately	off.
		Never	enbe			Never	ccasi	oden	enbe.
		žŏ	₹ 1			Ž	Ŏ	Ž	Ē
Se	ction 1.5 Liver/Gall Bladder/Pancreas			Sect	tion 2.2 Symptoms of overactive thyro	id	,		*
1.	Upper abdominal pain, or pain under ribs	0 1	2 3	1.	Fatigue, notable weakness in limbs	0	1	2	3
2.	Bloating or feeling of fullness after eating	0,1,	(2) 3	2.	Feeling hot, or intolerance to heat, sweaty	)©(Z)	1	2	3
3.	Excessive belching or gas	$\otimes$ $\frac{1}{2}$	2 3	3.	Swelling or tightness in front of neck	(N)			Y (8)
4.	Fatty foods cause indigestion or nausea	(0) (1)	$\begin{pmatrix} 2 & 3 \\ 2 & 3 \end{pmatrix}$	4.	Diarrhoea (loose, watery or frequent	0		_	
5. 4	Loss of appetite  Nausea and/or vomiting	0 1	2 3	5.	bowel movements) Weight loss, possibly with increased appetite		1	2	3 Y (3)
6. 7.	Unexplained itchy skin eczema	0 1	2 3	6.	Palpitations	, (6)	1	2	3
8.	Yellowish discolouration of skin or eyes,	0 1	2 0	7.	Nervousness, irritability, restlessness	0	1	(2)	3
	or dark coloured urine	(N)	Y (8)	8.	Tremor	(0)	1	2	3
9.	Pale clay-coloured stools	(N) (0) 2	4 8	9.	Insomnia	(i)	1	2	3
10.	Fatigue, malaise or weakness	0 1	2 3	10.	Visual disturbance, problems with eyes,	7.	100	e .	£.
	Fluid retention, oedema	0 1	2   3		or development of staring gaze	0	2	4	) 6
	Easy bruising, or bleeding (e.g. of gums)	Ø 1 1	2   3	11.	Poor libido	0	1	2	3
	Loss or thinning of body hair	(D)	Y (3)	12.	Light, infrequent or absent menstrual period	s (N	) , "		Y (3)
	Red skin, particularly on palms		Y (3)				_	~=	
15.	Dry, flaky skin, or dry hair	(N) 120 I	Y (3)		<b>X</b>		10	OTAL:_	
		TOTAL:	qr						
SEC	TION 2: ENDOCRINE	IOIAL:		Sec	tion 2.3 Stress, fatigue and adrenals				
	ion 2.1 Symptoms of underactive thyro	oid		1.	Feeling stressed, nervous, or tense,			-	
1.	Fatigue, sluggishness	0 (1)	· 3	1 "	or unable to relax	0	1 1		(3)
2.	Feeling cold, or intolerance to cold	0 1	2 3	2.	Feeling irritable or oversensitive	0	1	2	3
3.	Swelling or tightness in front of neck	(N)	Y (8)	3.	Feeling overwhelmed, unable to cope	0	1	2	(3)
4.	Constipation (requiring straining, or a	V 4 7 4		4.	Low mood, mood swings	0	1	2	(3)
	hard, dry or small stool)	0 1	2 3	5.	Difficulty concentrating or thinking clearly,	·	(may)	74 · 1	deragal.
5.	Dry skin and hair	$\bigcirc$	Y (3)		memory problems	0	- 1	2	(3)
6.	Puffy face, hands or feet	<u>O</u>	2 3	6.	Need coffee, tea, tobacco, sugar or				
7.	Gaining of weight, or decreased appetite	0 1	2 (3)	7.	chocolate as pick me ups Fatigued, tire easily	0	(	2	3
8. 9.	Low mood  Difficulty concentrating, poor memory	0 11	2 3	8.	Find it hard to get up and going in the more	0	. 1	2	
10.	Low libido	(i)	2 3	9.	Difficulty staying awake during day			2	3
11.			Y (3)	10.	Insomnia	_	_	2	3
12.		$\overline{(N)}$	Y (3)	11.	Palpitations or chest pain	$\bowtie$	1.	2	3
				12.	Nausea, dizziness	0	1	2	3
		ТО	TAL:	13.	Change in appetite	0	1	2	(3)
		. ×		k				91	
			7					TAL:_	<u> </u>
		1		5.	and Silver State of S				
				1.6	and the second of the second o				
		1		12.	4 \$ 1		276 =		
				1					
1	e espara e e		ξ', '' '' '' '' '' '' '' '' '' '' '' '' '						
	14.		1 100 2 3						
7	to do mo	e de la		# # # # #					
			ang g or gar	* E	V a	-			v
			. KI		3," A	- Kr		1	
					¥ 4			15 1	2. 1

		Never	Occasionally	Moderately / Often	Frequently / Daily			Never	Occasionally	Moderately / Often	Frequently / Daily
	CTION 3: IMMUNE					San	tion 4.2 Hoolshy blood was sure well-				
1. 2. 3. 4. 5. 6. 7.	Frequent colds or 'flu Frequent infections in other locations (e.g. bladder, skin) Diarrhoea Ears continuously drain Nasal congestion or discharge Sore throat Cough with mucus Cold sores	2 000000	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2	Y (3)  3 3 3 3 3 3 3	1. 2. 3. 4. 5.	Headaches Nosebleeds Redness in face Ringing in ears or blurred vision History of high blood pressure	lenance O O O O	1 1 1	2 2 2 2	3 3 3 (3) Y (6)
9.	Inflamed or bleeding gums, or swollen,	U)	'	2	3	Sect	ion 4.3 Heart				
10. 11. <b>12</b> .	red lips or tongue Wounds heal slowly Excessive loss of hair Neck, armpit or groin swelling	0220	1 1	2	3 Y (3) Y (3) 6	1. 2. 3. 4.	Palpitations Dizziness Pain or heaviness in central chest Heartburn, pain or heavy crushing sensation that moves to neck, jaw, left shoulder or arm		1 1 4	2 2 8	3 10
Sect	ion 3.2 Allergy					5.	Pallor or sweating with chest discomfort		2		6
1. 2. 3. 4. 5. 6. 7. 8. 9.	Migraine or non-migraine headache Sensitivity to light (skin or eyes) Dark circles under eyes Swollen eyes, lips, face, or other body parts Localised or general itching – eyes, ears, throat, nose, skin Rashes or eczema Clear watery discharge from nose or eyes Sneezing, coughing or wheezing				3 3 (3) 3 3 3 3 7 (3)		with unusual indigestion Fatigue easily, poor exercise tolerance Shortness of breath with exertion Shortness of breath lying flat in bed, or sudden shortness of breath in the middle of the night Wheezing or dry cough Veins on neck are prominent Swelling in feet, ankles or legs History of high blood cholesterol		2 1 1 1 1 1 1 1	8 2 2 2 2 COTAL:_	
	CTION 4: CARDIOVASCULAR tion 4.1 Healthy red blood cell mainter	nance	TOT	AL:							
1. 2. 3. 4. 5. <b>6</b> . 7. 8. 9. 10.	Excessive fatigue Prolonged recovery after exercise Low exercise tolerance, shortness of breath with exertion Dizziness, spots before eyes, or ringing in ear Difficulty concentrating, poor memory Yellowing of eyes or skin Pale eyelids, lips, gums, nails Red sore tongue Sores in corner of mouth Easy bruising or bleeding	() · · · · · · · · · · · · · · · · · · ·	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2	3 3 3 3 (3) Y (6) 3 3 3						

TOTAL:\_\_\_

		Never	Occasionally	Moderately / Often	Frequently / Daily			Never	Occasionally		Model diely / Olien	Frequently / Daily
	ion 4.4 Circulatory system					SEC	TION 6: GENITOURINARY SYST REPRODUCTIVE HORN			D.		
	Poor circulation in extremities: coldness, or						Section 6.1 Kidney/Bladder	10111				
	numbness, tingling or pricking sensations in	0	,			1.	Fluid retention throughout body	(0)	2		4	8
2.	hands or feet, discolouration in fingers or toes Ulcers on feet or legs	5	1	2	3	2.	Lower back pain	8	1		2	3
3.	ů	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	,	0	Y (6)	3.	Excessive urination	6	1		2	3
4.	Muscle pain in calves or thighs with walking Difficulty concentrating, poor memory	0	1	2	3	4.	Excessive urination during night	8	1		2	3
5.	Faints, or falls with unknown cause	0		2 .	10	5.	Burning with urination	8	1		2	3
5.	Brief periods of difficulty speaking,	U	4	8	10	6.	Frequent urination		1		2	3
	swallowing, or understanding speech or					7.	Urgency of urination	6	1		2	3
	written word	0	(a)	8	10	8.	Bloody, cloudy or darkened urine, or	O			_	
7.	Brief periods of loss of whole or part of vis		9	0	10	٠.	strong-smelling urine	(O)	1		2	3
	double vision, impaired coordination, or	sion,				9.	Incontinence	(6)	1		2	3
	areas of numbness	0	(	0	10	10.	Infrequent urination	3	2		4	6
	areas of Hembrids	U	U	0	10	11.	Grey cast to skin	(0)	2		4	8
			TC	TAL:		12.	Severe one-sided lower back or groin pain					
E	TION 5: GLUCOSE TOLERANCE		10	//AL			associated with restlessness	6	1		2	
	ion 5.1 Symptoms of hypoglycaemia					13.		(N)				Y (6
	o, inpresident in progry cuerinu							0				,
11												
	you miss a meal, do you feel	<b>a</b>	,	•					Т	OTA	AL:	
	Fatigue and weakness, or feeling shaky	0	1	2	3				T	OTA	AL:_	
	Fatigue and weakness, or feeling shaky Mild headache	000	1	2	3	Secti	ion 6.2 Prostate/Male hormone balan	æ	T	OTA	AL:	
	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations	989	1 1	2	3		only to answer this section)	ce	T	ГОТА	AL:	
	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint	9999	1 1 1	2	3		only to answer this section)  Difficulty starting urine flow, or	ce		ТОТИ	AL:	
	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor	9990	1 1 1	2 2 2	3	(Men 1.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine	<b>ce</b>	1	ГОТИ	AL:	
	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion	· .	1 1 1	2 2 2	3 3 3	(Men	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete		1	ГОТИ		
	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor		1 1 1 1 1	2 2 2	3	(Men 1.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small		1	ОТИ		
	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion		1	2 2 2 2 2	3 3 3	1. 2.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed		1	ГОТА		
	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion		1	2 2 2	3 3 3	(Men 1. 2. 3.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination	0	1	ГОТА	2	
	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability		1	2 2 2 2 2	3 3 3	(Men 1. 2. 3. 4.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain	0	1	COTA	2	
	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability	0	1 1 TC	2 2 2 2 2 2 2 7	3 3 3 3	(Men 1. 2. 3. 4. 5.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen	0 0 0	1 1 1	COTA	2 2 2	
ect	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  ion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination	0	1	2 2 2 2 2 2 2 2 2 2	3 3 3 3 3	3. 4. 5. 6.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido	0 0 0 0	1 1 1 2	COTA	2 2 2 4	
ect.	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  ion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite	0	1 1 TC	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3	3. 4. 5. 6. 7.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection	0 0 0 0	1 1 2 2 2		2 2 4 4	
ect.	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  ion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight	0	1 1 TC	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	(Men 1. 2. 3. 4. 5. 6. 7. 8.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation	0 0 0 0	1 1 1 2 2 1	COTA	2 2 4 4 2	
ect	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  ion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness	0	1 1 TC	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3	3. 4. 5. 6. 7.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina	0 0 0 0	1 1 1 2 2 1	COTA	2 2 4 4 2 2	
ect	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  ion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating	· .	1 1 TC	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	(Men 1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility	0 0 0 0 0	1 2 2 1 1 1 1	TOTAL A	2 2 4 4 2 2 2 2 2	
ect	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  Sion 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position	0	1 1 TC	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	3. 4. 5. 6. 7. 8. 9.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual	0 0 0 0	1 2 2 1 1 1 1	I I	2 2 4 4 2 2 2 2 2	
ect	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  ion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive	·	1 1 TC	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 3	(Men 1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual discharge from penis	0 0 0 0	1 2 2 1 1 1 1		2 2 4 4 2 2 2 2 2	Y (3
eci	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  ion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain	· .	1 1 TC	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	(Men 1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual  discharge from penis	0 0 0 0 0 0	1 2 2 1 1 1 1	TOTAL A	2 2 4 4 2 2 2 2 2	Y (3
	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  Sion 5.2 Symptoms of hyperglycaemia Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections	·	1 1 TC	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 3	(Men 1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual discharge from penis	0 0 0 0 0 0	1 2 2 1 1 1 1		2 2 4 4 2 2 2 2 2	Y (3
eci	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  ion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections (e.g. bladder, skin)	·	1 1 TC	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 3	(Men 1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual discharge from penis  Genital or groin rash, irritation, itchiness or infection	0 0 0 0 0 0 Z Z	1 2 2 1 1 1 1		2 2 4 4 2 2 2 2	; ; ; Y (3
eci	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  ion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections (e.g. bladder, skin) Ulcers or sores on legs or feet	·	1 1 TCC	2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 3	(Men 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina Infertility, low sperm count or poor motility  Inflammation of penis, or unusual discharge from penis  Genital or groin rash, irritation, itchiness or infection	0 0 0 0 0 0 Z Z 0 0	1 1 2 2 1 1 1 1		2 2 4 4 2 2 2 2 2 4	Y (3 Y (6
ect	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  ion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections (e.g. bladder, skin)	·	1 1 TCC	2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 3	(Men 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina  Infertility, low sperm count or poor motility  Inflammation of penis, or unusual discharge from penis  Genital or groin rash, irritation, itchiness or infection  Painful testicle(s)	0 0 0 0 0 0 Z Z 0 0	1 1 2 2 1 1 1 1		2 2 4 4 2 2 2 2 2 4	Y (66
ect	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  ion 5.2 Symptoms of hyperglycaemia  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections (e.g. bladder, skin) Ulcers or sores on legs or feet	·	1 1 TCC	2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 4 (3)	(Men 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina Infertility, low sperm count or poor motility Inflammation of penis, or unusual discharge from penis  Genital or groin rash, irritation, itchiness or infection  Painful testicle(s)  Testicles uneven in size, texture or hardness	0 0 0 0 0 0 0 Z Z 0 0 Z Z 0 0 Z Z	1 1 2 2 1 1 1 1		2 2 4 4 2 2 2 2 2 4	Y (66
eci	Fatigue and weakness, or feeling shaky Mild headache Sweating or palpitations Feeling light-headed or faint Difficulty concentrating, poor memory, confusion Agitation, irritability  Excessive, frequent urination Increased thirst and appetite Blurred vision, failing eyesight Fatigue, drowsiness Profuse sweating Dizziness when standing from sitting position Unintentional weight loss, or excessive weight gain Recurrent or persistent infections (e.g. bladder, skin) Ulcers or sores on legs or feet Slow wound healing	·	1 1 TCC	2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 3 7 (3) Y (3)	(Men 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	only to answer this section)  Difficulty starting urine flow, or poor flow of urine  Sense of bladder fullness, incomplete emptying, or needing to strain with small amounts of urine passed  Dripping after urination  Ejaculation causes pain  Blood in semen  Low libido  Difficulty attaining or maintaining an erection Premature ejaculation  Low energy level or stamina Infertility, low sperm count or poor motility  Inflammation of penis, or unusual discharge from penis  Genital or groin rash, irritation, itchiness or infection  Painful testicle(s)  Testicles uneven in size, texture or hardness  Both testicles appear smaller	0 0 0 0 0 0 0 Z Z 0 0 Z Z	1 1 2 2 1 1 1 1		2 2 4 4 2 2 2 2 4	Y (3 Y (6

Sec	tion 6.3 Symptoms of PMS (Women only to	Never	Occasionally	Moderately / Often	Frequently / Daily	Sect	tion 6.5 Symptoms of menopause	Never	Occasionally	Moderately / Often	Frequently / Daily
	ptoms experienced in the 3 to 14 days prior to		ms sec				nen only to answer this section)				
(5)	nstruation, in the last 3 months					1.	Irregular menstrual cycle and/or changes	0			
1.	Insomnia	0	1	2	3		in menstrual flow (heavier or lighter)	$\otimes$			Y (3)
2.	Abdominal bloating	0	1	(2)	3	2.	Dry skin, hair or vagina	0	1	2	3
3.	Breast tenderness, swelling or lumps	0	1	2	3	3.	Low libido	0	1	2	3
4.	Feeling depressed, teary, or sensitive	0	1	2	3	4.	Mood swings, irritability, depression,				6
5.	Feeling anxious, irritable, or easily angered	0	1	2	(3)		nervousness, anxiety	0	1	2	(3)
6.	Diarrhoea or constipation	6	1	2	3	5.	Hot flushes	0	(1)	2	3
7.	Headaches or migraines	(O)	1	2	3	6.	Night sweats	0		2	3
8.	Food cravings or binge eating	0	1	2	3	7.	Headaches or dizziness	0	(	2	3
9.	Back pain	0	1	2 .	3	8.	Painful intercourse	0	1	2	3
10.	Fluid retention or weight gain	0	0	2	3	9.	Insomnia	$\odot$	1	2	3
11.	Clumsiness	0	1	2	3 (3)	10.	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
12.	Feeling aggressive, or feeling suicidal	0	4	8	(i)		memory, or confusion	0	1	2	(3)
						11.	Thinning of armpit and pubic hair, or	0			
			TC	DTAL:			increased hair growth on upper lip	E			Y (3)
Sec	tion 6.4 Menstrual irregularities (Women	n only to	answe	r this sec	tion)	12.	Breasts reducing in size and starting to sag	(N			Y (3)
Sym	ptoms experienced in the past 3 months								3		
1.	Irregular intervals between periods	$\binom{N}{N}$			Y (3)				TC	DTAL:_	
2.	Long period cycles, greater than 32 days	$\langle N \rangle$			Y (3)						
3.	Short period cycles, less than 24 days	(2)			Y (3)		ion 6.6 Other female sexual and horn en only to answer this section)	nonal	probl	ems	
4.	Vaginal bleeding between periods	(A)	_	Υ	(10)	1.	Vaginal dryness or pain	(0)	1	2	3
<b>4</b> . 5.	Vaginal bleeding between periods Painful periods – lower abdomen or back	0 (Z)	1	Y 2	(10) 3	1. 2.	Vaginal dryness or pain Painful intercourse	0	1	2	3
		(A)	1	2				0	1		
5.	Painful periods – lower abdomen or back	0 (Z)	1	2	3	2.	Painful intercourse	6	1		
5. <b>6</b> .	Painful periods – lower abdomen or back  Pain with periods is worsening	(2) 0 (2)	1	2	3 Y (6)	2.	Painful intercourse  Milk production (not nursing),	©° ©°	1 1 1 1	2	3
5. <b>6</b> . 7.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation	(2) 0 (2)	1	2	3 Y (6)	2. 3.	Painful intercourse  Milk production (not nursing), or engorged breasts	$\circ$	1 1 1 1	2	3
5. <b>6</b> . 7.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure		1 1 1	2	3 Y (6) 3	<ul><li>2.</li><li>3.</li><li>4.</li></ul>	Painful intercourse  Milk production (not nursing), or engorged breasts  Low libido	0	1 1 1 1 1 1	2 2 2	3 3 3
5. <b>6</b> . 7. 8.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation	$(z) \circ (z) \circ (0)$	1 1 1 1	2 2 2	3 Y (6) 3	<ol> <li>3.</li> <li>4.</li> <li>5.</li> </ol>	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido	0	1 1 1 1 1	2 2 2	3 3 3 3 3
5. <b>6</b> . 7. 8.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation		1 1 1 1	2 2 2 2 2	3 Y (6) 3 3	<ol> <li>3.</li> <li>4.</li> <li>5.</li> <li>6.</li> </ol>	Painful intercourse  Milk production (not nursing), or engorged breasts  Low libido  Excessive libido  Acne and/or oily skin	0	1 1 1 1	2 2 2	3 3 3 3 3 7 (3)
5. <b>6</b> . 7. 8.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation		1 1 1 1	2 2 2 2	3 Y (6) 3 3 3	<ol> <li>3.</li> <li>4.</li> <li>6.</li> <li>7.</li> </ol>	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair	0	1 1 1 1 1	2 2 2	3 3 3 3 Y (3) Y (3)
5. <b>6</b> . 7. 8. 9. 10. 11.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow		1 1 1 1	2 2 2 2	3 Y (6) 3 3 3 3 Y (3)	<ol> <li>2.</li> <li>3.</li> <li>4.</li> <li>5.</li> <li>6.</li> <li>7.</li> <li>8.</li> </ol>	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking	0	1 1 1 1 1	2 2 2	3 3 3 3 7 (3) Y (3) Y (3)
5. <b>6</b> . 7. 8. 9. 10. 11. 12.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow  Heavy blood flow, or flooding		1 1 1 1	2 2 2 2	3 Y (6) 3 3 3 3 Y (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9.	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking Thinning body hair	0	1 1 1 1 1	2 2 2	3 3 3 3 Y (3) Y (3) Y (3) Y (3)
5. <b>6</b> . 7. 8. 9. 10. 11. 12. 13.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow  Heavy blood flow, or flooding  Passage of large or profuse blood clots  Prolonged duration of bleeding	(Z) · (Z) · (Z) · (Z) · (Z)	1 1 1 1	2 2 2 2	3 Y (6) 3 3 3 3 3 Y (3) Y (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9. 10.	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking Thinning body hair Infertility	0	1 1 1 1	2 2 2	3 3 3 3 7 (3) Y (3) Y (3)
5. <b>6</b> . 7. 8. 9. 10. 11. 12. 13. 14. 15.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow  Heavy blood flow, or flooding  Passage of large or profuse blood clots  Prolonged duration of bleeding	(Z) · (Z) · (Z) · (Z) · (Z)		2 2 2 2	3 Y (6) 3 3 3 3 3 Y (3) Y (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking Thinning body hair Infertility Miscarriage	0	1 1 1 1 1 1	2 2 2	3 3 3 3 Y (3) Y (3) Y (3) Y (3)
5. <b>6</b> . 7. 8. 9. 10. 11. 12. 13. 14. 15.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow  Heavy blood flow, or flooding  Passage of large or profuse blood clots  Prolonged duration of bleeding  Number of days	(Z) · (Z) · (Z) · (Z) · (Z)		2 2 2 2	3 Y (6) 3 3 3 3 3 Y (3) Y (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking Thinning body hair Infertility Miscarriage Vaginal discharge: excessive,	)	1 1 1 1 1 1 1 1	2 2 2 (2)	3 3 3 3 Y (3) Y (3) Y (3) Y (3) Y (3)
5. <b>6</b> . 7. 8. 9. 10. 11. 12. 13. 14. 15.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow  Heavy blood flow, or flooding  Passage of large or profuse blood clots  Prolonged duration of bleeding  Number of days  Absence of menstrual flow for more	(Z) · (Z) · (Z) · (Z) · (Z)		2 2 2 2	3 Y (6) 3 3 3 3 Y (3) Y (3) Y (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking Thinning body hair Infertility Miscarriage Vaginal discharge: excessive, smelly, or coloured	(a) (z) z (z)(z) 0 0 0 (	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 (2)	3 3 3 4 3 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 8 (3)
5. <b>6</b> . 7. 8. 9. 10. 11. 12. 13. 14. 15.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow  Heavy blood flow, or flooding  Passage of large or profuse blood clots  Prolonged duration of bleeding  Number of days  Absence of menstrual flow for more	(Z) · (Z) · (Z) · (Z) · (Z)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2	3 Y (6) 3 3 3 3 Y (3) Y (3) Y (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking Thinning body hair Infertility Miscarriage Vaginal discharge: excessive, smelly, or coloured Burning or itching of external genitalia	(a) (z) z (z)(z) 0 0 0 (	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 (2)	3 3 3 4 3 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 8 (3)
5. <b>6</b> . 7. 8. 9. 10. 11. 12. 13. 14. 15.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow  Heavy blood flow, or flooding  Passage of large or profuse blood clots  Prolonged duration of bleeding  Number of days  Absence of menstrual flow for more	(Z) · (Z) · (Z) · (Z) · (Z)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2	3 Y (6) 3 3 3 3 Y (3) Y (3) Y (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking Thinning body hair Infertility Miscarriage Vaginal discharge: excessive, smelly, or coloured Burning or itching of external genitalia Vaginal bleeding after intercourse, or between periods	0 0 2 2 2 2 2 0 0 0		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 Y (3) Y (3) Y (3) Y (3) Y (3) 3 3 3
5. <b>6</b> . 7. 8. 9. 10. 11. 12. 13. 14. 15.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow  Heavy blood flow, or flooding  Passage of large or profuse blood clots  Prolonged duration of bleeding  Number of days  Absence of menstrual flow for more	(Z) · (Z) · (Z) · (Z) · (Z)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2	3 Y (6) 3 3 3 3 Y (3) Y (3) Y (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking Thinning body hair Infertility Miscarriage Vaginal discharge: excessive, smelly, or coloured Burning or itching of external genitalia Vaginal bleeding after intercourse, or between periods	) · · · (2) z (2) z (0 · · · (		2 2 2 2 2 2 2 2 2 2	3 3 3 3 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 3 3 3
5. <b>6</b> . 7. 8. 9. 10. 11. 12. 13. 14. 15.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow  Heavy blood flow, or flooding  Passage of large or profuse blood clots  Prolonged duration of bleeding  Number of days  Absence of menstrual flow for more	(Z) · (Z) · (Z) · (Z) · (Z)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2	3 Y (6) 3 3 3 3 Y (3) Y (3) Y (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking Thinning body hair Infertility Miscarriage Vaginal discharge: excessive, smelly, or coloured Burning or itching of external genitalia Vaginal bleeding after intercourse, or between periods Lower abdominal or back pain	) · · · (2) z (2) z (0 · · · (		2 2 2 2 2 2 2 2 2 2	3 3 3 3 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 3 3 3
5. <b>6</b> . 7. 8. 9. 10. 11. 12. 13. 14. 15.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow  Heavy blood flow, or flooding  Passage of large or profuse blood clots  Prolonged duration of bleeding  Number of days  Absence of menstrual flow for more	(Z) · (Z) · (Z) · (Z) · (Z)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2	3 Y (6) 3 3 3 3 Y (3) Y (3) Y (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking Thinning body hair Infertility Miscarriage Vaginal discharge: excessive, smelly, or coloured Burning or itching of external genitalia Vaginal bleeding after intercourse, or between periods Lower abdominal or back pain Breast lumps, or a change in breast size or shape	)		2 2 2 2 2 2 2 2 2 2	3 3 3 3 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 8 3 8 3 8 3
5. <b>6</b> . 7. 8. 9. 10. 11. 12. 13. 14. 15.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow  Heavy blood flow, or flooding  Passage of large or profuse blood clots  Prolonged duration of bleeding  Number of days  Absence of menstrual flow for more	(Z) · (Z) · (Z) · (Z) · (Z)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2	3 Y (6) 3 3 3 3 Y (3) Y (3) Y (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. <b>16</b> .	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking Thinning body hair Infertility Miscarriage Vaginal discharge: excessive, smelly, or coloured Burning or itching of external genitalia Vaginal bleeding after intercourse, or between periods Lower abdominal or back pain Breast lumps, or a change in breast size or shape	)		2 2 2 2 2 2 2 2 2 2	3 3 3 3 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 8 3 8 3 8 3
5. <b>6</b> . 7. 8. 9. 10. 11. 12. 13. 14. 15.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow  Heavy blood flow, or flooding  Passage of large or profuse blood clots  Prolonged duration of bleeding  Number of days  Absence of menstrual flow for more	(Z) · (Z) · (Z) · (Z) · (Z)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2	3 Y (6) 3 3 3 3 Y (3) Y (3) Y (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking Thinning body hair Infertility Miscarriage Vaginal discharge: excessive, smelly, or coloured Burning or itching of external genitalia Vaginal bleeding after intercourse, or between periods Lower abdominal or back pain Breast lumps, or a change in breast size or shape Nipple discharge, or change in	)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2	3 3 3 3 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3)
5. <b>6</b> . 7. 8. 9. 10. 11. 12. 13. 14. 15.	Painful periods – lower abdomen or back  Pain with periods is worsening  Painful intercourse during menstruation  Pelvic and/or rectal pressure  around menstruation  Constipation or diarrhoea with menstruation  Nausea and/or vomiting with menstruation  Light blood flow  Heavy blood flow, or flooding  Passage of large or profuse blood clots  Prolonged duration of bleeding  Number of days  Absence of menstrual flow for more	(Z) · (Z) · (Z) · (Z) · (Z)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2	3 Y (6) 3 3 3 3 Y (3) Y (3) Y (3) Y (3)	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	Painful intercourse Milk production (not nursing), or engorged breasts Low libido Excessive libido Acne and/or oily skin Excess facial hair Breasts shrinking Thinning body hair Infertility Miscarriage Vaginal discharge: excessive, smelly, or coloured Burning or itching of external genitalia Vaginal bleeding after intercourse, or between periods Lower abdominal or back pain Breast lumps, or a change in breast size or shape Nipple discharge, or change in appearance of nipple	)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2	3 3 3 3 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 7 (3) 8

	CTION T. MILEGON C. T.	Never	Occasionally	Moderately / Often	Frequently / Daily	Never Occasionally Moderately / Often Frequently / Daily
	CTION 7: MUSCULOSKELETAL			1	1	Section 7.3 Connective tissue (Continued)
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	Generalised bone tenderness or achiness Localised bone pain  Bone deformity or swelling Shins hurt during or after exercise Low back or hip pain Walking difficulties, or a limp Hearing loss, headaches, ringing in ears Diagnosis of osteoporosis Abnormal spinal curvature Recent loss of height Bowed legs Stooped posture or hump at base of neck Unexplained bone fracture	(3)2(3)2(2)2(2)2(2)2(2)2(2)2(2)2(2)2(2)2	1 1 1 1 1	2 2 2 2 2	3 Y (8) 3	11. Numbness, prickling, tingling sensation in neck, shoulders or arms  12. Injure, strain, sprain easily 13. Red, painless skin lumps on elbows, knees, toes 14. Knobbly joints 15. Muscle wasting  TOTAL:  SECTION 8: BRAIN AND NERVOUS SYSTEM  Section 8.1 Neurological  1. Headache 2. Light-headedness, fainting 3. Ringing or buzzing in ears  O 2 4 6
	tion 7.2 Muscle	6	то	TAL:_		4. Trembling hands
1. 2.	Muscle aches and pains  Muscle stiffness, tension	0		2	3	7. Unsteady on feet 0 2 6 8 8. Easily fatigued 0 1 2 3
3.	Specific body points are tender to touch	_	1	2	3	9. Poor hand coordination (0) 2 6 8
4.	Headaches		1	2	3	10. Convulsions, seizures or funny turns (0) 4 8 10
5.	Fatigue	0	1	2	) з	11. Difficulty concentrating, confused,
6.	Difficulty sleeping	(O)	1	2	3	poor memory 0 1 2 3
7.	Muscle cramps or spasms	(O)	1 3	2	3	12. Clumsy 0 1 2 (3
8.	Muscles twitch or tremble	0	1	2	3	13. Drooping eyelid(s) (0) 2 4 6
9.	Restless legs	0	1	2	3	14. Impaired hearing, eyesight, sense
10.	Upper or lower back pain	$\bigcirc$	1	2	3	of touch, smell or taste 0 4 8 10
11.	Muscle weakness	(0)	2	4	8	15. Slow or slurred speech 0 4 8 10
12.	Muscle loss and wasting	(N)		-	Y (8)	16. Incontinence 0 2 4 6
			тот	AL:_		TOTAL: Section 8.2 Stress history
	ion 7.3 Connective tissue	6	,			
1.	Tender, red, swollen, and stiff joints	$\mathbb{Z}$	1	2	3	In past 2 years have you experienced  1. Divorce
2.	Dry mouth, dry, painful eyes	$\otimes$	1	2	3 3	
3.	Creaking (noisy) joints	$\aleph$	1	2	3	2. Separation from partner  (N)  Y (4)  3. Marriage  (N)  Y (3)
4. 5	Shooting aching tingling pain	$\cup$	'	2	J	4. Death of close family member or friend N
5.	Shooting, aching, tingling pain	(C)	2	4	6	
4	down back of leg  Joint pain involves more than one joint	8	1	2	3	
6. 7.	Limited range of motion	PEEE	1	2	3	7
8.	Difficulty standing up from seated position	<u>~</u>	ì	2	3	0 Maior and Linian illinois
9.	Impaired mobility or function	(S)	1	2	3	9. Violations of the law  Y (3)
10.	Difficulty chewing or opening mouth	6	1	2	3	T (2)
. 0.				_	-	TOTAL:

		Never	Occasionally	Moderately / Often	Frequently / Daily			Never	Occasionally	Moderately / Often	Frequently / Daily
	ection 8.3 Symptoms of insomnia					SE	CTION 10: HAIR, SKIN AND NA	ILS (c	ontinued	i)	
D 1 2 3 4 5 6	Live or work in a stressful environment  Suffer from constant pain or discomfort  Eat chocolate or drink caffeine in the evenings  Have difficulty falling asleep or staying asleep	0 0	1 1 1 1 1	2 2 2 2 2 2 TAL:	3 3 3 3 3	7. 8. 9. 10. 11. 12. 13. 14.	Areas of unexplained redness  Undiagnosed skin lumps/bumps  Discoloured nails  Pitted nails	0 0 0 2 0 5 0 5 0 5 0 5 0 5 0 5 0 5 0 5	1 1 1 1 1	2 2 2 2 2 2 2	3 3 Y (4) 3 (7(4) 3 3 3
						16.	Thickened nails	0	) 1	2	3
	ection 8.4 Normal, healthy learning and c	once	ntratio	on		-			т.	OTA!	
D 1. 2. 3. 4. 5.	<ul> <li>Have a short attention span</li> <li>Find it difficult to relax</li> <li>Experience mental confusion or sluggishness</li> <li>Have or had learning difficulties</li> </ul>	z (Z) 0 0 0 0	1 1 1	2 2 2 2	(A)		,	None	Wild	Moderate Moderate	Severe
						1	CTION 11: DETOXIFICATION (co				
_	SECTION 9: RESPIRATORY SYSTEM	<u></u>	TC	TAL:_		1.	far as you are aware, do you have a sensitivity of the preservatives sodium benzoate or potassium benzoate	or aller	gy to .	2	3
1	11	0	0	2	3	2.	Tyramine (red wine, cheese,			T	
3.		0	1	2	3		bananas, chocolate)	0	1	2	3
4.		6	1	2	3	3.	Caffeine	0	1	2	3
5.	. Thick yellow, greenish or brown sputum	(b)	1 -	2	3	4.	Chemicals such as fragrances, exhaust			12	
6.	. Blood in sputum	0	2	4	6	_	fumes, cigarette smoke or other strong odou  Even small amounts of alcohol		1	2	3
7.		(o)	2	4	6	5. 6.	Do you have a history of exposure to chemic	0	1	2	3
8.	, -	(V)	1	2	3	0.	such as herbicides, insecticides, pesticides o				
9.		<u> </u>	1	2	3		organic solvents?	Ν			Y (3)
10	Bad breath or sputum smells offensive     Loud snoring	8	1	2	3	7.	Alcohol	0	1-7	8-14	15+
	Colds always "go to the chest"	(2)		-	Y (3)		(number of drinks per week)		(1)	(2)	(3)
	3. Bluish nails or lips	<b>(6)</b>	2	4	10	8.	Coffee or other caffeinated drinks	0	1-2	3-4	5+
						١ ,	(number per day)	•	(1)	(2)	(3)
			TC	TAL:_		9.	Smoking (number per day)?  Type	0	1-8	9-19	20+
						11			(3)	(3)	(6)
							have you quit smoking in the last year?	Ν			Y (2)
				rate	6	12	. Recreational drugs?	Ν			Y (3)
		None	Mild	Moderate	Severe	13	. Туре				
		Z	2	2	S	14	. What is your blood type?				
_5	SECTION 10: HAIR, SKIN AND NAI	LS		_							
1	. Acne	0	0	(2)	) 3				1	OTAL:_	
	2. Psoriasis	0	(1)	2	3	1					
	3. Eczema/dermatitis	0	1	2	3						
	4. Warts 5. Tinea	$\mathcal{L}$	1	2	3						
	5. Tinea 6. Dandruff	3	) 1	2	3						

ever	Occasionally	Moderately / Often	Frequently / Daily
Never	ő	Mod	Free

## **SECTION 12: GENERAL HEALTH HISTORY**

		_		
Section	121	Patient	health	hietory

1.	Frequency of exercise (days per week)	6-7	3-5	1-2	0
		(O)	(1)	(2)	(3)
2.	Vegetarian or vegan	N	)		Y (2)
3.	Age >50 years	(Z)	5		Y (3)
4.	Planning to have a baby in the next 3-6 month	N	)		Y (3)
5.	Pregnant or breastfeeding	(2)	)		Y (3)
			TO	ΤΔ1 -	

## Section 12.2 Weight management

1.	Do you diet often?	Ν	(Y (3)
2.	Are you unhappy with your weight?	Ν	(Y (3)
		т	OTAL:

## Section 12.3 High risk symptoms

1.	Unexplained weight loss	N	Y	(6)
2.	Night sweats	0 2	) 4	6
3.	Fevers	0 2	4	6
4.	Lumps, e.g. breast, armpit, skin	(N)	Υ	(6)
5.	Reduced appetite	0 2	4	6
6.	Severe fatigue	0 2	4	6

TOTAL:\_

	Never	Occasionally	Moderately / Often	Frequently / Daily
Section 12.4				1
Which of the following types of medications have	you			
taken in the last 6 months?	Ν			$\bigcirc$
Asthma medications/inhalers	(F)			Ŷ
2. Anti-diabetics/insulin	2			Y
3. Steroids e.g. cortisone		A R		Y
4. Anti-inflammatories/aspirin	N			(Y)
5. Paracetamol	(I)			Y
6. High blood pressure		\		Y
7. Heart	(F)	)		Y
8. Thyroid	(1)			1
9. Antihistamines	(			Y
10. Antiulcer medications, antacids	(0)			Y
11. Antibiotics/antifungals				
12. Antidepressants	(N	)		Y
13. Antipsychotics				
14. Relaxants/sleeping tablets	(N	)		Y
15. Hormones/oral contraceptives	N			Y
16. Chemotherapy	(W)			Y
17. Any other medications?	Ν			Υ
18. Type				
List the nutritional or herbal supplements you are currently taking				
List your major health concerns at present				
Family History				
Do you have a family history of diabetes, cardiovascular disease, cancer, or				
Grandfadher concer mother anxiet				

Thank you, for your taking the time to complete this questionnaire.