Informed Consent for Myofascial Dry Needling - NSR Massage Therapy - Gawler

Client Name:	Navelle	Innes		4
Date of Birth:	15/2/1988			
Contact Number:	0438 58	6759		
Emergency Contac	ct Name: Andl	ew Innes	Phone: O	+28672285
Relationship: /	Justand			

What is Myofascial Dry Needling?

Myofascial dry needling is a technique used by qualified therapists to treat muscular pain and tightness by inserting fine, single use, sterile needles into trigger points or tight muscle bands. It is not acupuncture, but a western-based technique used to relieve pain and restore function.

Potential Benefits:

- Reduction in pain and muscle tension
- · Increased range of motion and mobility
- Improved muscle function and circulation

Possible Risks and Side Effects:

Dry needling has some risks and adverse effects that can occur with the treatment. In the hands of a skilled professional, these risks are small, but you should still be aware of them.

While safe, dry needling may occasionally cause:

- Mild soreness, aching or bruising
- Small blood droplet at needle sites
- Temporary fatigue or dizziness
- Rare but possible fainting, nerve irritation or pneumothorax

You will always be monitored during treatment and you may stop at any time.

Communication and Feedback:

Effective communication is essential throughout a dry needling session to ensure safety, build trust, and achieve the best therapeutic outcomes. Your practitioner will actively encourage and respond to feedback before, during, and after treatment. When in contact with a trigger point, you may feel heaviness, aching, or even a local twitch response.

Clients should report if they feel:

- Sharp, burning, or unusual pain
- Dizziness, light-headedness, or nausea
- Emotional discomfort or anxiety

Practitioners should **adjust technique** based on client feedback. This may include modifying needle depth, location, or stopping the dry needling.

Post-Treatment Care:

After dry needling you may have some mild - moderate soreness, tightness or heaviness in the needled area, mild fatigue or a relaxed sensation.

- Apply a heat pack to the tender area.
- Rest the body, avoid strenuous activity. A light walk can be nice to promote circulation.
- Stay hydrated drink a couple cups of water on top of your regular intake, aim for 2 litres of water per day.

If you get a bruise in the needled area, you may feel mild tenderness for a few days. If you feel the need, apply an ice pack for 10 minutes at a time, over the first 24 hours. Then apply a heat pack after 48 hours to promote healing. Bruises usually fade within 1-2 weeks.

Health History:

	Yes	No	/	Yes	No
Do you have a bleeding disorder, bruise easily, or are you taking blood thinners		/	Respiratory disease (COPD, emphysema or a heavy smoker)		/
Inflammatory conditions			Fever, influenza, blood borne disease or infectious disease	u	V
Taking immunosuppressive medication		/	Vascular disorders		/
Implanted devices / augmentations	Tarent Control	/	Impaired sensation		V
Are you pregnant or trying to become pregnant	4 31	/	Cancer	LA	V
Diabetes		/	Other (please specify)		/

Client Signature:

Therapist Name (Print):

Therapist Signature:

Please specify:	
Client Agreement and Consent:	
Pløase read and check each box to indicate your understanding:	
☑ I have discussed myofascial dry needling with my therapist and understand what the treatment jnvolves.	
If understand the potential benefits and possible risks and side effects. I agree that no guarantee been made regarding the success of dry needling treatment related to my condition. I am aware multiple dry needling sessions may be needed.	
☐ I have disclosed all relevant medical history, including medications, allergies, and current heal concerns. I will advise my clinician if my health history changes during the course of treatments	
Ulunderstand I can decline or stop treatment at any time without pressure.	
I give permission for my therapist to proceed with dry needling treatment as part of my care pleasent will cover all dry needling treatments performed by this facility.	an. This
I understand this is not a substitute for medical treatment, and any serious or ongoing symptom be referred to my GP or health provider.	ıs should

Date: 27/8/25