

**AVALON BEACH NSW 2107** 

Lab ID 862767639 DOB 10/09/1987 (33 Yrs FEMALE)

Referrer Dr Rachael Rodgers

Address BMA HOUSE SUITE 1204 LEVEL 12 135 MACQUARIE STREET

SYDNEY NSW 2000

Phone 0404404095

Address 6 WATKINS RD

Your ref.

Phone 0272289889

Requested 04/08/2021 Collected 05/08/2021 10:44 AEDT

Received 05/08/2021 10:46 AEDT

## Iron Studies

Copy to

| Test Name         | Result | Units  | Reference<br>Interval |  |
|-------------------|--------|--------|-----------------------|--|
| Iron              | 16.5   | umol/L | 5.0 - 30.0            |  |
| Transferrin       | 2.0    | g/L    | 2.0 - 3.6             |  |
| TIBC (Calculated) | 46     | umol/L | 46 - 77               |  |
| Saturation        | 36     | %      | 10 - 45               |  |
| Ferritin          | 91     | ug/L   | 15 - 200              |  |

NATA ACCREDITATION NO 2178

#### **BhCG - Quantitative**

Human Chorionic Gonadotrophin 1051 IU/L

#### Comments

Clinical history noted. If indicated, suggest repeat in 3-5 days.

Expected values for normal pregnancy Gestational age (from LMP)

IU/L 4 weeks 16 160 4-5 weeks 100 5000 5-6 weeks 1000 30000 2500 6-7 weeks 80000 7-8 weeks 23000 150000 8-9 weeks 27000 230000 9-13 weeks 21000 290000 6000 100000 2nd trimester 3rd trimester 3000 80000

Non Pregnant female - less than 5 IU/L

NATA ACCREDITATION NO 2178

# C Reactive Protein (High Sens)

| Test Name | Result | Units | Reference<br>Interval |  |
|-----------|--------|-------|-----------------------|--|
| CRP       | 1.5    | mg/L  | 0.0 - 5.0             |  |

NATA ACCREDITATION NO 2178



Accredited for compliance with NPAAC standards and ISO 15189

The Road College of Palokegis of Australiais



**AVALON BEACH NSW 2107** 

Lab ID 862767639 DOB 10/09/1987 (33 Yrs FEMALE)

Referrer Dr Rachael Rodgers

Address BMA HOUSE SUITE 1204 LEVEL 12 135 MACQUARIE STREET

SYDNEY NSW 2000

Phone 0404404095

Address 6 WATKINS RD

Phone 0272289889

Requested 04/08/2021

Your ref.

Collected 05/08/2021 10:44 AEDT Received 05/08/2021 10:46 AEDT

## Haemoglobinopathy Screen (Thalassaemia & Haemoglobin Variants)

Haemoglobin A2 2.8 1.5 - 3.5 Haemoglobin F 0.8 0.0 - 1.0 No haemoglobin variants detected Haemoglobin HPLC

#### Comments

CONCLUSION:

Copy to

Negative thalassaemia screen. No haemoglobin variants detected.

NATA ACCREDITATION NO 2178

## Haematology

| Test Name        | Result | Units    | Reference<br>Interval |  |
|------------------|--------|----------|-----------------------|--|
| Haemoglobin      | 150    | g/L      | 119 - 160             |  |
| Red cell count   | 4.7    | x10^12/L | 3.8 - 5.8             |  |
| Haematocrit      | 0.43   |          | 0.35 - 0.48           |  |
| MCV              | 93     | f∟       | 80 - 100              |  |
| • MCH            | 32.2 H | pg       | 27.0 - 32.0           |  |
| MCHC             | 347    | g/L      | 310 - 360             |  |
| RDW              | 11.9   |          | 10.0 - 15.0           |  |
| White cell count | 6.6    | x10^9/L  | 4.0 - 11.0            |  |
| Neutrophils      | 4.29   | x10^9/L  | 2.0 - 7.5             |  |
| Lymphocytes      | 1.58   | x10^9/L  | 1.0 - 4.0             |  |
| Monocytes        | 0.41   | x10^9/L  | 0.0 - 1.0             |  |
| Eosinophils      | 0.30   | x10^9/L  | 0.0 - 0.5             |  |
| Basophils        | 0.05   | x10^9/L  | 0.0 - 0.3             |  |
| NRBC             | <1.0   | /100 WBC | <1                    |  |
| Platelets        | 315    | x10^9/L  | 150 - 450             |  |

## Comments

Full blood count is essentially normal

NATA ACCREDITATION NO 2178







Lab ID 862767639 DOB 10/09/1987 (33 Yrs FEMALE)

Referrer Dr Rachael Rodgers

Address BMA HOUSE SUITE 1204 LEVEL 12 135 MACQUARIE STREET

SYDNEY NSW 2000

AVALON BEACH NSW 2107

Phone 0272289889 Phone 0404404095

Requested 04/08/2021

Collected 05/08/2021 10:44 AEDT Received 05/08/2021 10:46 AEDT

Address 6 WATKINS RD

Your ref.

#### Antibodies to Extractable Nuclear Antigen (ENA)

SS-A 60 Not detected SS-B Not detected Ro-52 Not detected Scl-70 Not detected Not detected Jo-1 Cenp-B Not detected Not detected Sm RNP Not detected Ribo-P Not detected

NATA ACCREDITATION NO 2178

Copy to

#### **Blood Bank Serology**

**Blood Group** A Rh(D) Positive

NATA ACCREDITATION NO 2178

## Rubella Serology

Rubella IgG (CMIA) 10 IU/mL

### Comments

<5 IU/mL: Not immune 5-9 IU/mL: Equivocal >/=10 IU/mL: Immune

Antibody detected. In an asymptomatic individual this result is consistent with past infection or vaccination and correlates with protective immunity.

NATA ACCREDITATION NO 2178

31/08/2021 15:04:38 AEST

Page  $\mathbf{3}$  of  $\mathbf{4}$ 



**AVALON BEACH NSW 2107** 

Lab ID 862767639 DOB 10/09/1987 (33 Yrs FEMALE)

Referrer Dr Rachael Rodgers Your ref.

Address BMA HOUSE SUITE 1204 LEVEL 12 135 MACQUARIE STREET Address 6 WATKINS RD

SYDNEY NSW 2000

Phone 0272289889 Phone 0404404095

Copy to Requested 04/08/2021

Collected 05/08/2021 10:44 AEDT Received 05/08/2021 10:46 AEDT

Varicella zoster Virus IgG

Varicella zoster IgG Detected

Comments

In the absence of clinical or laboratory evidence of acute Varicellazoster infection, this result is consistent with past infection or vaccination.

NATA ACCREDITATION NO 2178



