



EMMA CARLON

06-Dec-1991

Female

P: 1300 688 522
E: info@nutripath.com.au

6/39 LAURA STREET
NEWTOWN NSW 2042

-ALEXANDRA MIDDLETON
6 EDWARDS BAY ROAD
MOSMAN NSW 2088

LAB ID : 3825293
UR NO. : 6608126
Collection Date : 29-Jun-2022
Received Date:30-Jun-2022



3825293

MICROBIOLOGY

STOOL, SPOT Result Range Units

STOOL - MICROSCOPY DAY 1

MACROSCOPIC DESCRIPTION: Formed.

Faecal Occult Blood (FOB): Negative

COMMENT:

Faecal occult blood has not been detected in this specimen. If the test result is negative and clinical symptoms persist, additional follow-up testing using other clinical methods is recommended.

For further information about this report, please contact NutriPATH.

Dr M Rana
Chemical Pathology

Ph: 1300 688 522
NATA accreditation: 20770

GENOMIC ASSESSMENTS

STOOL, SPOT Result Range Units

Faecal Multiplex PCR

PARASITIC PATHOGENS

Giardia intestinalis:	Not Detected
Cryptosporidium species:	Not Detected
Dientamoeba fragilis:	Not Detected
Entamoeba histolytica:	Not Detected
Blastocystis hominis:	Not Detected

BACTERIAL PATHOGENS

Campylobacter species:	Not Detected
Salmonella species:	Not Detected
Shigella species:	Not Detected
Yersinia enterocolitica:	Not Detected
Aeromonas species:	Not Detected

COMMENT:

Not Detected results indicate the absence of detectable DNA in this sample for the 10 enteropathogens reported.

For further information about this report, please contact NutriPATH.

Dr N.Maheshwari
Ph: 1300 688 522
NATA accreditation No.:20770

Tests ordered: OCP,IMPEI,FaePCR