



Referrer Dr Emma Scott

Address GENERAL PRACTICE CREMORNE 414 MILITARY ROAD
MOSMAN NSW 2088

Phone 0289695000

Your ref. 205305

Address 3/8 TOWER ST
MANLY NSW 2095

Phone 0431141862

Copy to Ms Alexandra Middleton (0410503376)

Requested 04/05/2021

Collected 11/05/2021 08:38 AEDT

Received 11/05/2021 08:39 AEDT

Reproductive Hormones
(Abbott Method)

Test Name	Result	Units	Reference Interval
FSH	5.4	IU/L	
LH	1.8	IU/L	
Oestradiol	165	pmol/L	

Comments

FSH	Basal	1.5 - 10
	Mid cycle peak	7.0 - 22
	Post-menopausal	25 - 130
LH	Basal	2.0 - 12
	Mid cycle peak	8.0 - 90
	Post-menopausal	5.0 - 62
Oestradiol	Follicular phase	<320
	Preovulatory phase	450 - 2000
	Luteal phase	125 - 1300
	Post-menopausal	<170

Supervising Pathologist: GC, NT

NATA ACCREDITATION NO 2178



Referrer Dr Emma Scott

Address GENERAL PRACTICE CREMORNE 414 MILITARY ROAD
MOSMAN NSW 2088

Phone 0289695000

Your ref. 205305

Address 3/8 TOWER ST
MANLY NSW 2095

Phone 0431141862

Copy to Ms Alexandra Middleton (0410503376)

Requested 04/05/2021

Collected 11/05/2021 08:38 AEDT

Received 11/05/2021 08:39 AEDT

Thyroid Function

Test Name	Result	Units	Reference Interval
TSH	0.82	mIU/L	0.40 - 3.50
Free T4	10.7	pmol/L	9.0 - 19.0

Comments

Euthyroid levels.

Supervising Pathologist: GC, NT

NATA ACCREDITATION NO 2178

Prolactin (Roche Method)

Prolactin (Total) 181 mIU/L 85 - 500

Supervising Pathologist: GC, NT

NATA ACCREDITATION NO 2178

IGF-1 (Liaison) 29 nmol/L 14 - 48

Comments

IGF-1 testing performed on Diasorin Liaison XL.

Reported by Sullivan and Nicolaides Pathology, a member of the
Sonic Healthcare Group.

NATA ACCREDITATION NO 2178



Referrer Dr Emma Scott

Address GENERAL PRACTICE CREMORNE 414 MILITARY ROAD
MOSMAN NSW 2088

Phone 0289695000

Your ref. 205305

Address 3/8 TOWER ST
MANLY NSW 2095

Phone 0431141862

Copy to Ms Alexandra Middleton (0410503376)

Requested 04/05/2021

Collected 11/05/2021 08:38 AEDT

Received 11/05/2021 08:39 AEDT

Cardiolipin / Beta2Glycoprotein IgG Abs

Cardiolipin IgG Abs	<1.6	GPL - U/mL	<20
Beta2Glycoprotein 1 IgG Abs	<1.4	U/mL	<20
Cardiolipin IgM Abs	0.4	MPL - U/mL	<20

Comments

Interpretation	(U/mL)
Negative	0-19
Low Positive	20-39
Moderate Positive	40-79
High Positive	>80

Most patients with Anti-Phospholipid Syndrome (thrombosis, recurrent foetal loss, thrombocytopenia and phospholipid Abs) have moderate to high IgG cardiolipin levels; IgM Abs are less specific. B2GP1 IgG Abs are more specific and less sensitive. The lupus anticoagulant test may detect other phospholipid Abs. Diagnosis of APS requires persistence of phospholipid Abs for more than 12 weeks confirmed by repeat testing.

Supervising Pathologist: KB

NATA ACCREDITATION NO 2178