-.ALEXANDRA MIDDLETON



P: 1300 688 522

E: info@nutripath.com.au A: PO Box 442 Ashburton VIC 3142 Date of Birth: 20-Oct-1986

Sex : F

Collected: 22/Feb/2022 Received: 24/Feb/2022 11/51 MCDONALD STREET FRESHWATER NSW 2096

Lab id: 3799270 UR#: 6599975

6 EDWARDS BAY ROAD MOSMAN NSW 2088

Vaginal Microbiome Profile								
Vaginal pH	3.5	3.5 - 4.5		•				
Opportunistic Bacteria	Result	Range	Units					
Enterococcus faecalis:	0.50	< 1.0	x10^5 CFU/ml					
Escherichia coli:	<dl< td=""><td>< 1.00</td><td>x10^5 CFU/g</td><td></td></dl<>	< 1.00	x10^5 CFU/g					
Klebsiella pneumoniae:	<dl< td=""><td>< 1.00</td><td>x10^5 CFU/ml</td><td></td></dl<>	< 1.00	x10^5 CFU/ml					
Proteus mirabilis:	<dl< td=""><td>< 1.00</td><td>x10^5 CFU/ml</td><td></td></dl<>	< 1.00	x10^5 CFU/ml					
Pseudomonas aeruginosa:	<dl< td=""><td>< 1.00</td><td>x10^5 CFU/ml</td><td></td></dl<>	< 1.00	x10^5 CFU/ml					
Streptococcus agalactiae:	<dl< td=""><td>< 1.00</td><td>x10^5 CFU/ml</td><td></td></dl<>	< 1.00	x10^5 CFU/ml					
Staphylococcus aureus:	<dl< td=""><td>< 1.00</td><td>x10^5 CFU/ml</td><td></td></dl<>	< 1.00	x10^5 CFU/ml					
Gardnerella vaginalis:	<dl< td=""><td>< 1.00</td><td>x10^5 CFU/ml</td><td></td></dl<>	< 1.00	x10^5 CFU/ml					
Atopobium vaginae:	<dl< td=""><td>< 1.00</td><td>x10^5 CFU/ml</td><td></td></dl<>	< 1.00	x10^5 CFU/ml					
Prevotella species:	<dl< td=""><td>< 1.00</td><td>x10^5 CFU/ml</td><td></td></dl<>	< 1.00	x10^5 CFU/ml					
Megasphaera species:	<dl< th=""><th>< 1.00</th><th>x10^5 CFU/ml</th><th></th></dl<>	< 1.00	x10^5 CFU/ml					
Ureaplasma species	24.12 *H	< 1.00	x10^6 CFU/ml	•				
Mycoplasma species	<dl< td=""><td>< 1.00</td><td>x10^6 CFU/ml</td><td></td></dl<>	< 1.00	x10^6 CFU/ml					
Sexually Transmitted In	fections							
Trichomonas vaginalis: Chlamydia trachomatis: Neisseria gonorrhoeae:	Not Detected Not Detected Not Detected		detectable	ted results indicate the absence of DNA in this sample. A negative				
Herpes Simplex Virus-1:	Not Detected		result doe:	s not completely exclude infection.				

Trichomonas vaginalis:	Not Detected
Chlamydia trachomatis:	Not Detected
Neisseria gonorrhoeae:	Not Detected
Herpes Simplex Virus-1:	Not Detected
Herpes Simplex Virus-2:	Not Detected

Opportunistic Fungal pathogens

Candida tropicalis:	<dl< th=""><th>< 1.00</th><th>x10^5 CFU/ml</th><th></th></dl<>	< 1.00	x10^5 CFU/ml	
Candida parapsilosis:	<dl< th=""><th>< 1.00</th><th>x10^5 CFU/ml</th><th></th></dl<>	< 1.00	x10^5 CFU/ml	
Candida krusei:	<dl< th=""><th>< 1.00</th><th>x10^5 CFU/ml</th><th></th></dl<>	< 1.00	x10^5 CFU/ml	
Candida glabrata:	<dl< th=""><th>< 1.00</th><th>x10^5 CFU/ml</th><th></th></dl<>	< 1.00	x10^5 CFU/ml	
Candida albicans:	<dl< th=""><th>< 1.00</th><th>x10^5 CFU/ml</th><th></th></dl<>	< 1.00	x10^5 CFU/ml	

Beneficial Bacteria:

beneficial bacteria.						
Total Lactobacillus:	10.61	> 1.00	x10^6 CFU/ml	_	•	
Lactobacillus crispatus:	10.41	> 1.00	x10^6 CFU/ml			
Lactobacillus gasseri:	0.20 *L	> 1.00	x10^6 CFU/ml			
Lactobacillus iners:	<dl *l<="" th=""><th>> 1.00</th><th>x10^6 CFU/ml</th><th></th><th></th><th></th></dl>	> 1.00	x10^6 CFU/ml			
Lactobacillus jensenii:	<dl *l<="" th=""><th>> 1.00</th><th>x10^6 CFU/ml</th><th></th><th></th><th></th></dl>	> 1.00	x10^6 CFU/ml			
Lactobacillus rhamnosus:	<dl *l<="" th=""><th>> 1.00</th><th>x10^6 CFU/ml</th><th></th><th></th><th></th></dl>	> 1.00	x10^6 CFU/ml			
Lactobacillus salivarius:	<dl *l<="" th=""><th>> 1.00</th><th>x10^6 CFU/ml</th><th></th><th></th><th></th></dl>	> 1.00	x10^6 CFU/ml			
Lactobacillus vaginalis:	<dl *l<="" th=""><th>> 1.00</th><th>x10^6 CFU/ml</th><th></th><th></th><th></th></dl>	> 1.00	x10^6 CFU/ml			

Bacterial Vaginosis:

Bacterial vaginosis Negative

> Printed:March 01, 2022 Final Report



BETHANY YOUNG

-. ALEXANDRA MIDDLETON



P: 1300 688 522 E: info@nutripath.com.au

A: PO Box 442 Ashburton VIC 3142

Date of Birth: 20-Oct-1986

Sex : F

Collected: 22/Feb/2022 Received: 24/Feb/2022 11/51 MCDONALD STREET FRESHWATER NSW 2096

Lab id: 3799270 UR#: 6599975

6 EDWARDS BAY ROAD MOSMAN NSW 2088

Vaginal Microbiome Comments

VAGINAL pH NORMAL:

The typical vaginal pH is 3.5-4.5. Prepubertal and postmenopausal pH levels are normally >5 pH. With the increase of the oestrogen levels around puberty, the genital mucosa thickens and becomes colonized with Lactobacillus species which produce lactic acid and hydrogen peroxide to lower the pH below 4.5.

Mycoplasma and Ureaplasma Species

Mycoplasmas and Ureaplasmas species colonise lower genital tract of many healthy sexually active individuals. Clinically act as opportunistic bacteria, associated with mucosal infections of the respiratory and urogenital tracts. Mycoplasmas and Ureaplasma species can cause sexually transmitted infections like bacterial vaginosis (BV), cervicitis, PID, infertility in non-pregnant females and chorioamnionitis, endometritis, postpartum fever, premature birth or spontaneous abortion in pregnancy and urethritis in males. Sexual contacts should be encouraged to be tested and treated simultaneously to prevent recurrence in the patient.

Both organisms lack cell wall hence beta lactam antibiotics are not effective. Macrolides and Quinolones are effective but anti-microbial resistance is creeping.

General advice for along with above treatment as follows:

- o Regular salt or warm water only washes (no douching)
- o Good Personal Hygiene
- o Avoid irritants (soaps/perfumes)
- o Use barrier protection during sex

LACTOBACILLUS:

Total Lactobacillus is within range.

Lactobacillus is the predominant genus in a healthy vaginal microbiota, and functions to inhibit the adhesion and proliferation of opportunistic and primary pathogens.

The presence of different Lactobacillus species is a major factor in the stability of the vaginal microbiome. Women with L. iners-dominant microbiomes are more likely to harbor Candida than women with L. crispatus-dominant microbiomes (due to higher production of lactic acid by L. crispatus compared to L. iners), leading to better anti-Candida activity (impeding Candida colonization) than L. iners through a greater production of lactic acid. Furthermore, L. iners dominance has been associated with other negative health outcomes such as increased risks of Chlamydia trachomatis infection, incident Bacterial Vaginosis and defects in vaginal mucus that compromise antiviral barrier function.

BETHANY YOUNG

-. ALEXANDRA MIDDLETON



P: 1300 688 522 E: info@nutripath.com.au A: PO Box 442 Ashburton VIC 3142 Date of Birth: 20-Oct-1986

Sex: F

Collected: 22/Feb/2022 Received: 24/Feb/2022 11/51 MCDONALD STREET FRESHWATER NSW 2096

Lab id: 3799270 UR#: 6599975

6 EDWARDS BAY ROAD MOSMAN NSW 2088

Sex. Transmitted Infection Comments

TRICHOMONAS VAGINALIS - Not Detected:

This does not completely exclude the possibility of infection as is dependent on an adequate specimen collection. If you have symptoms, please consult with your healthcare practitioner.

CHLAMYDIA TRACHOMATIS - Not Detected:

This does not completely exclude the possibility of infection as is dependent on an adequate specimen collection. If you have symptoms, please consult with your healthcare practitioner.

NEISSERIA GONORRHOEAE - Not Detected:

This does not completely exclude the possibility of infection as is dependent on an adequate specimen collection. If you have symptoms, please consult with your healthcare practitioner.

HERPES SIMPLEX VIRUS Type 1 – Not Detected:

This does not completely exclude the possibility of infection as is dependent on an adequate specimen collection. If you have symptoms, please consult with your healthcare practitioner.

HERPES SIMPLEX VIRUS Type 2 – Not Detected:

This does not completely exclude the possibility of infection as is dependent on an adequate specimen collection. If you have symptoms, please consult with your healthcare practitioner.