

YOUNG, BETHANY  
51 MC DONALD ST, FRESHWATER. 2096  
**Phone:** 0405164214  
**Birthdate:** 20/10/1986 **Sex:** F **Medicare Number:** 43108382141  
**Your Reference:** 00041742 **Lab Reference:** 22-63467486-ULY-0  
**Laboratory:** AUSTRALIAN CLINICAL LABS  
**Addressee:** DR SUKHWINDER RANDHAWA **Referred by:** DR SUKHWINDER SINGH  
RANDHAWA  
  
**Name of Test:** UREAPLASMA PCR  
**Requested:** 04/04/2022 **Collected:** 19/04/2022 **Reported:** 21/04/2022  
22:35

**CLINICAL NOTES:** h/o ureplasma finished ab

TEST NAME: Ureaplasma PCR

This test was performed by:  
South East Area Laboratory Service (SEALS)  
High Street  
Randwick NSW 2031  
Ph 1800 073 257

Test was referred on 20/04/22

Report was received on 21/04/2022 10:35 pm

REF LAB ID 22R265174K

Results received from testing institution

-----  
Site Site not labelled  
Mycoplasma hominis D NOT detected  
Ureaplasma parvum DN NOT detected  
Ureaplasma urealytic NOT detected  
Trichomonas vaginalis NOT detected

Test Method: Allplex STI Essential assay (Seegene)

ULY-C

All tests on this request have now been completed

YOUNG, BETHANY  
51 MC DONALD ST, FRESHWATER. 2096  
**Phone:** 0405164214  
**Birthdate:** 20/10/1986 **Sex:** F **Medicare Number:** 43108382141  
**Your Reference:** 00041742 **Lab Reference:** 22-63467486-ULY-0  
**Laboratory:** AUSTRALIAN CLINICAL LABS  
**Addressee:** DR SUKHWINDER RANDHAWA **Referred by:** DR SUKHWINDER SINGH  
RANDHAWA

**Name of Test:** UREAPLASMA PCR  
**Requested:** 04/04/2022 **Collected:** 19/04/2022 **Reported:** 29/04/2022  
11:53

**CLINICAL NOTES:** h/o ureplasma finished ab

TEST NAME: Ureaplasma PCR

This test was performed by:  
South East Area Laboratory Service (SEALS)  
High Street  
Randwick NSW 2031  
Ph 1800 073 257

Test was referred on 20/04/22

Report was received on 21/04/2022 10:35 pm

REF LAB ID 22R265174K

Results received from testing institution

-----  
Site Site not labelled  
Mycoplasma hominis D NOT detected  
Ureaplasma parvum DN NOT detected  
Ureaplasma urealytic NOT detected  
Trichomonas vaginalis NOT detected

Test Method: Allplex STI Essential assay (Seegene)

ULY-R

All tests on this request have now been completed