



Level 1 | Suite 14 | 110 Sussex St
SYDNEY, 2000 NSW
ABN 14 159 735 538

Phone 02 8599 1480
info@fhslabs.com.au
fhslabs.com.au

Halide Profile Report

Patient

Anne Coote
24/04/63

Practitioner The Lucy Rose Clinic

Profile Date 06/12/2019

TEST	Unit	Normal Range	Result	Finding
Iodine	%	>90%	56%	Deficient
Bromide	mg/L	<7	2.458	Within Range
Spot Iodine	µg/L	>200	97.67	Below Range

Submitting sensitive information via our website is protected online and offline. Patient/Customer information is secured by encryption-protected passwords; transmission of sensitive information is protected using SSL encryption. This protects against loss, misuse and alteration of the information under FHS PTY LTD. Additionally, this protects confidential information including credit card details, online forms, and financial data. Only FHS employees with a business related reason to access private health information have access to this information data base. The assessment of biological samples including blood, saliva, and urine provided to by the health provider or patient to FHS are assessed using immuno-assay, ion specific, and IC-MS methodologies. The FHS service is not intended to diagnose, treat, cure disease or illness, nor is it to be presented or construed in any way as a substitute for professional medical, surgical, psychiatric care &/or treatment. FHS reserves the right to update/modify policies, procedures, testing, and terms or conditions, including any such instances on your use of this service. Any such aforementioned changes are effective immediately. Your continued use of the Online Bill Payment System will constitute your acceptance of such terms.