

Test Results Report

Wednesday, 4 October 2023 14:36:07

Dept: Pathology Test ID: P0322042 C155A 1 Result Status: Authorised Report ()

Patient: BIRD, NATASHA JANE Clinic UR: 2047234

Sex: Female Date of Birth: 05 Feb 1992

Address: 8 BENNETT ST , BELLAMACK 0832

Observation Time: 20 Sep 2023 08:43:00 Message Time: 20 Sep 2023 10:09:00

Test Type: TSH

Test Description: TSH (Thyroid stimulating hormone)

Thyroid Stimulating Hormone. Method: Ortho XT7600

TSH (plasma) 1.32 mIU/L (0.40-4.05)

For pregnant women- trimester specific thyroid reference intervals are:

TSH (mIU/L)	Reference Interval
Gestation 0 - 5 weeks:	0.47 - 4.68
6 - 13 weeks:	0.02 - 3.45
14 - 27 weeks:	0.09 - 4.10
28 - 41 weeks:	0.13 - 4.55
> 42 weeks:	0.47 - 4.68

	2023	2023	2021	2020	
Date Collected	20/09	05/05	26/02	23/06	
Time Collected	08:43	15:29	12:05	15:38	Reference
Episode	P0322042	D4904290	D4392886	D4198407	Units Range

Thyroid Stimulating Hormone. Method: Ortho XT7600

TSH (plasma) 1.32 1.86 2.73 4.12+ mIU/L 0.40-4.05

Date : 20/09/2023 Time : 08:43 Episode : P0322042

For pregnant women- trimester specific thyroid reference intervals are:

TSH (mIU/L)	Reference Interval
Gestation 0 - 5 weeks:	0.47 - 4.68
6 - 13 weeks:	0.02 - 3.45
14 - 27 weeks:	0.09 - 4.10
28 - 41 weeks:	0.13 - 4.55
> 42 weeks:	0.47 - 4.68

Authorised for release by Dr Heather Cain

Printed by ksoph on Asset JD8738***** End of Report *****