

Test Results Report

Wednesday, 4 October 2023 14:36:52

Dept: Pathology Test ID: P0322042 C156A 1 Result Status: Authorised Report ()

Patient: BIRD, NATASHA JANE Clinic UR: 2047234

Sex: Female Date of Birth: 05 Feb 1992

Address: 8 BENNETT ST , BELLAMACK 0832

Observation Time: 20 Sep 2023 08:43:00 Message Time: 20 Sep 2023 10:09:00

Test Type: FT4

Test Description: Free T4

Free Thyroxine. Method: Ortho XT7600

Free T4 (plasma) 11.2 pmol/L (8.5-27.0)

For pregnant women- trimester specific thyroid reference intervals are:

FT4 (pmol/L)	Reference Interval
Gestation 0 - 5 weeks:	8.5 - 21.0
6 - 13 weeks:	10.0 - 23.7
14 - 27 weeks:	8.3 - 17.2
28 - 41 weeks:	7.4 - 16.7
> 42 weeks:	8.5 - 21.0

	2023	2023	2021	2020	
Date Collected	20/09	05/05	26/02	23/06	
Time Collected	08:43	15:29	12:05	15:38	Reference
Episode	P0322042	D4904290	D4392886	D4198407	Units Range

Free Thyroxine. Method: Ortho XT7600

Free T4 (plasma) 11.2 11.9 12.5 11.8 pmol/L 8.5-27.0

Date : 20/09/2023 Time : 08:43 Episode : P0322042

For pregnant women- trimester specific thyroid reference intervals are:

FT4 (pmol/L)	Reference Interval
Gestation 0 - 5 weeks:	8.5 - 21.0
6 - 13 weeks:	10.0 - 23.7
14 - 27 weeks:	8.3 - 17.2
28 - 41 weeks:	7.4 - 16.7
> 42 weeks:	8.5 - 21.0

Authorised for release by Dr Heather Cain

Printed by ksoph on Asset JD8738***** End of Report *****