

DATE: 06/23/23 @ 1546
USER: WS106

UTAH *Live* - LAB
LAB SPECIMEN INTERNAL INQUIRY

PAGE 1

PATIENT: Miller, Nataliya Z ACCT : RQ0010041200 LOC: SLCLAB U : SL30034718
AGE/BIRTH SEX: 41/F ROOM: REG: 06/09/23
REG DR: Alma A Harb, MD DOB: 02/20/1982 BED: DIS:
STATUS: DEP REF TLOC:

SPEC : 0609:R00012R ORD FOR: 06/09/23-0929 STATUS: COMP REQ : 01669147
COLL: 06/09/23-0959 SUBM DR: Alma A Harb, MD
RECV: 06/09/23-0959 PT AGE AT COLL: 41

PT ID: ATT DR: CLIENT PHONE: (858)249-6751

OM ORDER NUMBER(S): 230609-115925615
230609-115925662
230609-115925615
230609-115925631
230609-115925647
230609-115925662
230609-115925678

REASON FOR VISIT: Z31.41

ENTERED: 06/09/23-0958 ENT BY: GER08 OTHR DR:
COLL BY: BJ127 RCV BY: GER08
LAST RPTD: 06/22/23-1532 WKLD FN:
LAST ACT: 06/22/23-1415 BAR CD: 124946

ORDERED: Copper, Zinc, CA125, Thyroglob Ab, Iodine, Ur, ANA, IFA, Endomysial IgA,
Transglutaminas, Hepatitis B Cor

DELETED: Reverse T3 - 06/19 VM180: Rejected at Labcorp as QNS specimen
Luteinizing Hor - 06/19 VM180: Rejected at Labcorp as QNS specimen

COMMENTS: Test(s) 001586-Copper, Serum or Plasma
was developed and its performance characteristics
determined by Labcorp. It has not been cleared or approved
by the Food and Drug Administration.

LH & Reverse T3 rejected by Labcorp as QNS specimen

COL CATEG: POOL

ORD SITE: SLR

TRANSIT SITE:

RCV SITE: SLR

SITE BATCH DATE	BATCH #	USER	FROM SITE	TO SITE
06/09/23	31	BJ127	SLR	LABCORPSLR

SENT FROM SITE: SLR 06/09/23-1205

PERFORM SITE: LABCORPSLR 06/10/23-1212

AT SITE: LABCORPSLR 06/10/23-1212

RPT AUDIT: 06/22/23 1532 SLR.FADOC

Test	Result	Flag	Reference
Copper	98		80-158 ug/dL Detection Limit = 5
	Method: REF		Perf Site: LABCORPSLR
	Ent: 06/13-1215 INFCE, Ver: 06/13-1215 INFCE		
Zinc	102		44-115 ug/dL Detection Limit = 5
	Performed at: BN - Labcorp Burlington		
	1447 York Court, Burlington, NC 272153361		
	Lab Director: Sanjai Nagendra MD, Phone: 8007624344		
	Method: REF		Perf Site: LABCORPSLR

Continued on next page ...

DATE: 06/23/23 @ 1546 USER: WS106		UTAH *Live* - LAB LAB SPECIMEN INTERNAL INQUIRY		PAGE 2
SPEC : 0609:R00012R		PATIENT: Miller,Nataliya Z		ACCT : RQ0010041200
Test	Result	Flag	Reference	
CA125	Ent: 06/13-1215 INFCE, Ver: 06/13-1215 INFCE 13.3 0.0-38.1 U/mL Roche Diagnostics Electrochemiluminescence Immunoassay (ECLIA) Values obtained with different assay methods or kits cannot be used interchangeably. Results cannot be interpreted as absolute evidence of the presence or absence of malignant disease. Performed at: PDLCA - Labcorp Phoenix 5005 S 40th Street Ste 1200, Phoenix, AZ 850402969 Lab Director: Earle Collum MD, Phone: 8007889743 Method: REF Perf Site: LABCORPSLR Ent: 06/10-1212 INFCE, Ver: 06/10-1212 INFCE			
Thyroglob Ab	<1.0 0.0-0.9 IU/mL Thyroglobulin Antibody measured by Beckman Coulter Methodology Performed at: PDLCA - Labcorp Phoenix 5005 S 40th Street Ste 1200, Phoenix, AZ 850402969 Lab Director: Earle Collum MD, Phone: 8007889743 Method: REF Perf Site: LABCORPSLR Ent: 06/12-2208 INFCE, Ver: 06/12-2208 INFCE			
Iodine, Ur	228.6 28.0-544.0 ug/L This test was developed and its performance characteristics determined by Labcorp. It has not been cleared or approved by the Food and Drug Administration. Limit of quantitation = 20 Performed at: BN - Labcorp Burlington 1447 York Court, Burlington, NC 272153361 Lab Director: Sanjai Nagendra MD, Phone: 8007624344 Method: REF Perf Site: LABCORPSLR Ent: 06/16-0622 INFCE, Ver: 06/16-0622 INFCE			
ANA, IFA ANA, IFA	Negative		Negative <1:80 Borderline 1:80 Positive >1:80 ICAP nomenclature: AC-0 For more information about Hep-2 cell patterns use ANApatterns.org, the official website for the International Consensus on Antinuclear Antibody (ANA) Patterns (ICAP). Performed at: PDLCA - Labcorp Phoenix 5005 S 40th Street Ste 1200, Phoenix, AZ 850402969 Lab Director: Earle Collum MD, Phone: 8007889743 Method: REF Perf Site: LABCORPSLR Ent: 06/13-1909 INFCE, Ver: 06/13-1909 INFCE	
Endomysial IgA	Negative		Negative Performed at: BN - Labcorp Burlington 1447 York Court, Burlington, NC 272153361 Lab Director: Sanjai Nagendra MD, Phone: 8007624344 Method: REF Perf Site: LABCORPSLR	

Continued on next page ...

DATE: 06/23/23 @ 1546
USER: WS106

UTAH *Live* - LAB
LAB SPECIMEN INTERNAL INQUIRY

PAGE 3

SPEC : 0609:R00012R

PATIENT: Miller,Nataliya Z

ACCT : RQ0010041200

Test	Result	Flag	Reference
Transglutaminas Tragl IgG	Ent: 06/15-0622 INFCE, Ver: 06/15-0622 INFCE <1.2 Reference Range Negative < 6.0 U/mL Weak Positive 6.0 - 9.0 U/mL Positive > 9.0 U/mL Method: REF Perf Site: LABCORPSLR		< 6.0 U/mL
Tragl IgM	Ent: 06/22-1415 INFCE, Ver: 06/22-1415 INFCE 1.9 Reference Range Negative < 9.6 U/mL Equivocal 9.6 - 12.4 U/mL Positive > 12.4 U/mL The performance characteristics of the listed assay was validated by BioAgilytix Diagnostics. The US FDA has not approved or cleared this test. The results of this assay can be used for clinical diagnosis without FDA approval. BioAgilytix Diagnostics is a CLIA certified, CAP accredited laboratory for performing high complexity assays such as this one. Testing Performed at: BioAgilytix Diagnostics 1320 Soldiers Field Road, Boston, MA 02135 Method: REF Perf Site: LABCORPSLR		<9.6 U/mL
Tragl IgA	Ent: 06/22-1415 INFCE, Ver: 06/22-1415 INFCE <1.2 Reference Range Negative < 4.0 U/mL Weak Positive 4.0 - 10.0 U/mL Positive > 10.0 U/mL Method: REF Perf Site: LABCORPSLR		< 4.0 U/mL
Comment	Ent: 06/22-1415 INFCE, Ver: 06/22-1415 INFCE Comment Performed at: E= - BioAgilytix Diagnostics Lab 1320 Soldiers Field Road, Brighton, MA 021351020 Lab Director: Natalie Smith PhD, Phone: 6174560700 Method: REF Perf Site: LABCORPSLR		
Hepatitis B Cor HBCore Ab, Tot	Ent: 06/22-1415 INFCE, Ver: 06/22-1415 INFCE Negative Performed at: PDLCA - Labcorp Phoenix 5005 S 40th Street Ste 1200, Phoenix, AZ 850402969 Lab Director: Earle Collum MD, Phone: 8007889743 Method: REF Perf Site: LABCORPSLR		Negative
	Ent: 06/10-1510 INFCE, Ver: 06/10-1510 INFCE		

*** End of Report ***

**Salt Lake Regional
Medical Center**

A STEWARD FAMILY HOSPITAL

LABORATORY
1050 E. South Temple
Salt Lake City, UT 84102
801-350-4776 direct to lab
801-350-4276 fax to lab

FAX NUMBER: 91 801-961-1136

TO: Dr. Alma A Harb, MD

FROM: SLC Lab

DATE: 6/23/23

PAGES: 4 (INCLUDING COVER)

FAX COVER PAGE

• Comments:

NOTICE: This fax may contain PRIVILEGED and CONFIDENTIAL information and is intended only for the use of the specific individual(s) to which it is addressed. It may contain Protected Health Information that is privileged and confidential. Protected Health Information may be used or disclosed only in accordance with law and you may be subject to penalties under the law for improper use or further disclosure of the Protected Health Information in this fax. If you are not an intended recipient of this fax, you are hereby notified that any unauthorized use, dissemination or copying of this fax or the information contained in it is strictly prohibited. If you have received this fax in error, please shred it and immediately notify the laboratory named above. Thank you.

Rev. 5/21/20