

BIMROSE, ROSEMARY
 5 KIDD CL, MALANDA. 4885
 Phone: 0459032815
 Birthdate: 02/09/1961 Sex: F Medicare Number: 4051412181
 Your Reference: AB92533459 Lab Reference: 682081618-C-C847
 Laboratory: SNP
 Addressee: DR CHAUDHRY F MASUD Referred by: DR CHAUDHRY F MASUD

Name of Test: S- LIPID PROFILE
 Requested: 02/11/2022 Collected: 05/06/2023 Reported: 06/06/2023
 18:06

Clinical notes: 6 months

Clinical Notes : 6 months

Lipid Profile

Date	09-Dec-20	26-Jul-21	27-May-22	Latest Results		
Time F-Fast	0738 F	0713 F	0717 F	05-Jun-23		
Lab Id.	657132947	661595302	667555238	0717 F	682081618	Reference Units
Cholesterol	5.1	5.4	5.4	5.4	(<5.6)	mmol/L
Triglyceride	0.6	0.8	0.8	0.8	(<2.1)	mmol/L
HDL	2.27	2.19	2.04	2.35	(>1.09)	mmol/L
LDL	2.6	2.8	3.0	2.7	(<4.1)	mmol/L
Chol/HDL Ratio	2.2	2.5	2.6	2.3	(<4.6)	mmol/L
Non HDLC	2.83	3.21	3.36	3.05	(<3.81)	mmol/L

Comments on Collection 05-Jun-23 0717 F:
 HDL-Cholesterol

The National Vascular Disease Prevention Alliance (NVDPA) guidelines recommend a target level of less than 2.5 mmol/L for non-HDLC.

TARGET LEVELS:

The National Vascular Disease Prevention Alliance (NVDPA) treatment target levels for high risk people (known coronary heart and other arterial disease, diabetes, chronic renal failure, Aboriginal and Torres Strait Islander peoples and familial hyperlipidaemic conditions) are:

Total Cholesterol	<4.0 mmol/L
HDL-Cholesterol	>=1.00 mmol/L
Fasting Triglycerides	<2.0 mmol/L
Non-HDL Cholesterol	<2.5 mmol/L

Increased non-HDL Cholesterol is the most significant marker for subclinical atherosclerosis (ref: Cardiology Today 2013; 3(2) : pp25-27).

CA

Sullivan Nicolaidides Pty Ltd. ABN 38 078 202 196. NATA/RCPA Accreditation No 1964

Tests Completed: HDL-Cholesterol, E/LFT, Thyroid Abs, FBE
 Tests Pending : TFTH, Vitamin D
 Sample Pending :