

Med History

Fertility Blood Test (For Women)


MAR 21, 2024

Pathology Results

▼ 2024-03-22ANDROGEN STUDIES

LISA MATHEWS
(F) 1978-03-25

Laboratory: 24-87820631-
AUSTRALIAN AGN-0
CLINICAL DR
LABS RAMAKRISHNAGOUD
Requested: SAKKERA
2024-03-22 440341BB
Collected:
2024-03-22
09:05:00

Testosterone		0.8
nmol/L	0.3-1.8	
Sex Hormone Binding Globulin		52
nmol/L	15-100	
Free Androgen Index (TE/SHBG)		1.5
%	Seetable	

Comment: Within normal limits.

RNG COMMENT	Interim Reference Ranges:
	Pre menopausal Post menopausal
	FAI (%)
	0.4 - 8.0 0.4 - 8.0

INST COMM Testosterone II and SHBG are assayed on the Siemens Centaur/Atellica.

View / Download PDF

LISA MATHEWS
(F) 1978-03-25

Laboratory: 24-87820631-
AUSTRALIAN HOR-0
CLINICAL DR
LABS RAMAKRISHNAGOUD
Requested: SAKKERA
2024-03-22 440341BB
Collected:
2024-03-22
09:05:00

Follicle Stimulating Hormone	7
IU/L	
Lutenizing Hormone	4
U/L	
Serum Oestradiol	130
pmol/L	
Serum Prolactin	179
mIU/L	see below

REF RANGE

ADULT REFERENCE RANGES:

F.S.H.

L.H. OESTRADIOL

PROGESTERONE# Postmenopausal

23 - 116 16 - 54 <
120 < 1.0

Follicular phase 3 - 10

2 - 13 70 - 530 <
5.0

Midcycle peak 4 - 34

9 - 77 230-1300

Luteal phase 2 - 9

< 17 200- 790 10.0 -
70.0

Day 21(midluteal)#

> 30.0

Equivocal 15.0-30.0;

Luteal Phase Deficiency < 15.0

Pregnant < 2

< 2

PROLACTIN RANGES:

ATHEWS_1978-03-

```
CTOBJECT_REQUEST_COMPLETE_
```

WH-O
CERA
4188

10:00
1:00
15:00

215

3



InstantScripts Pty Ltd **WEB:** instantscripts.com.au
Level 8 / 637 Flinders Street **EMAIL:** info@instantscripts.com.au
Docklands VIC 3008 **TEL:** 1300 391 438
ABN 87 629 120 234 **FAX:** 03 9068 6260

[Full message](#)

Age Grp	Reference Range (pmol/L):
20 - 29Y	13.0 - 54.0
30 - 34Y	7.0 - 48.0
35 - 39Y	5.5 - 37.0
40 - 44Y	0.7 - 21.0
45 - 50Y	0.3 - 15.0

Comment :

Comment:
AMH values of < 10 may indicate low ovarian reserve
AMH values > 36 may be seen in Polycystic Ovarian patients
AMH results should be interpreted in the clinical context.

NOTE: Anti Mullerian Hormone (AMH) testing is performed on the Roche Cobas analyser using the AMH PLUS Immunoassay. AMH PLUS enables clinicians to use results when dosing patients with the recombinant FSH treatment, REKOVELLE. AMH Age-Specific Reference Ranges (10th-90th percentile) are provided by Roche.

MATHEWS_LISA_1978-03-25_F_20240325224800242_PT

LISA MATHEWS
(F) 1978-03-25

Laboratory: 24-87820631-
AUSTRALIAN AMH-0
CLINICAL DR
LABS RAMAKRISHNAGOUD
Requested: SAKKERA
2024-03-22 440341BB
Collected:
2024-03-22
09:05:00

Panel Free Text

Validated by Dr. Mirette Saad

Anti mullerian test

19.5

pmol/L

Age Grp	Reference Range (pmol/L):
20 - 29Y	13.0 - 54.0
30 - 34Y	7.0 - 48.0
35 - 39Y	5.5 - 37.0
40 - 44Y	0.7 - 21.0
45 - 50Y	0.3 - 15.0

Comment:

AMH values of < 10 may indicate low ovarian reserve
AMH values > 36 may be seen in Polycystic Ovarian
patients

AMH results should be interpreted in the clinical
context.

NOTE: Anti Mullerian Hormone (AMH) testing is performed
on the Roche Cobas analyser using the AMH PLUS
Immunoassay. AMH PLUS enables clinicians to use results
when dosing patients with the recombinant FSH treatment,
REKOVELLE. AMH Age-Specific Reference Ranges (10th-90th
percentile) are provided by Roche.

[View / Download PDF](#)

Doctor Consultation

You can request a consultation with an InstantScripts doctor to discuss your results. Our doctors have a broad range of knowledge and skills to treat a wide range of health conditions.

[Request Doctor Consultation](#)

[View Full History](#)



For Patients

Online prescriptions
Doctor consultations
Treatment plans
Blood test requests
Medical certificates
Specialist referrals
Price guide

Company

About Us
Careers
Contact Us

For Staff

For Doctors
For Pharmacies
For Cosmetic Clinics



© 2024 InstantScripts Level 8 / 637 Flinders St., Docklands VIC 3008

[Privacy](#) [Customer T&C](#) [Platform T&C](#)



