

Australian Clinical Labs 23 WALTERS DRIVE, OSBORNE PARK

Patient:	BURNETT, MACKENZY 90/51 BEACH STREET FREMANTLE WA 6160	Referred:	09/May/2024
DOB:	06/Oct/1998	Collected:	09/05/2024 08:13
Sex:	F	Tested:	09/05/2024 14:16
Reported:	09/05/2024 14:54	UR/MR No.:	
Reference:		Lab No:	24-20995761-THA-0
Phone No:	0498 326 814	Status:	Final
		Patient Belongs to User:	KRISTIN BECKEDAHL NATR9265

Test: THA-Thyroid Autoantibodies

CLINICAL NOTES:

BIOCHEMISTRY - THYROID AUTOANTIBODIES - CUMULATIVE **SPECIMEN: SERUM**

Date	Lab Number	aTGII (IU/ml) (< 4.5)	aTPO (U/ml) (< 60)
09/05/24	20995761	< 1.4	44

Key:
aTGII - anti-thyroglobulin antibodies
aTPO - anti-thyroid peroxidase antibodies

Anti-ThyroGlobulin assay (aTGII) is standardised to the WHO International Reference Preparation, Human (NIBSC 65/093) and is performed on the Siemens Centaur/Atellica Immunoassay systems.

Normal thyroid antibodies.

THA-C

All tests on this request have now been completed