



Nonis Clinical Laboratory

Hematology • Biochemistry • Immunology • Microbiology

Nonis Lab • Grigori Afxentiou 5 • Mesa Geitonia 4003 • Limassol Cyprus
Tel 7000 8901 • Fax 25 755 165 • info@nonislab.com • www.nonislab.com

VISIT ID 80959	NAME MANUELA HERRERA	GENDER FEMALE	DOB / AGE Jan. 10, 1984 (40 Years)	BENEFICIARY ID / HIO CODE 505095861 / 143503
DOCTOR [D2200] ΕΥΑΓΓΕΛΙΑ ΑΝΔΡΕΟΥ •			DATE SAMPLED 10/06/2024 07:34 a.m.	DATE COMPLETED 11/06/2024 07:24 a.m. (T. M.)

HIO Execution ID: 83147495 • 83147498 • 83147485 • 83147489

Biochemistry

EXAMINATION	RESULT	UNITS	REFERENCE VALUE	SAMPLE	METHOD
2339-0 Glucose, Fasting	97	mg/dL	74 - 106	Serum	HK
3094-0 Urea	24.8	mg/dL	15.0 - 40.0	Serum	Enzymatic
38483-4 Creatinine	0.53	mg/dL	0.50 - 1.10	Serum	Enzymatic
2947-0 Sodium (Na)	↓ 134.6	mmol/L	▲ 135.0 - 145.0	Serum	ISE
2823-3 Potassium (K)	4.4	mmol/L	3.5 - 5.1	Serum	ISE
2498-4 Iron (Fe)	64	µg/dL	40 - 170	Serum	Ferozene
6768-6 Alkaline Phosphatase (ALP)	61	U/L	35 - 104	Serum	IFCC
1742-6 Alanine Aminotransferase (ALT/SGPT)	19	U/L	< 33	Serum	IFCC
2324-2 Gamma Glutamyltransferase (γ-GT)	14	U/L	< 38	Serum	IFCC

▲ Results lie out of reference values.

— End of Report Biochemistry —

This report cannot be reproduced by any means without the written permission of the laboratory.



Authorised by

Thomas Mina

11/06/2024 10:34 a.m.



Nonis Clinical Laboratory

Hematology • Biochemistry • Immunology • Microbiology

Nonis Lab • Grigori Afxentiou 5 • Mesa Geitonia 4003 • Limassol Cyprus

Tel 7000 8901 • Fax 25 755 165 • info@nonislab.com • www.nonislab.com

VISIT ID 80959	NAME MANUELA HERRERA	GENDER FEMALE	DOB / AGE Jan. 10, 1984 (40 Years)	BENEFICIARY ID / HIO CODE 505095861 / 143503
DOCTOR [D2200] ΕΥΑΓΓΕΛΙΑ ΑΝΔΡΕΟΥ ·			DATE SAMPLED 10/06/2024 07:34 a.m.	DATE COMPLETED 11/06/2024 07:24 a.m. (T. M.)

HIO Execution ID: 83147495 · 83147498 · 83147485 · 83147489

Full Blood Count (FBC)

EXAMINATION	RESULT	UNITS	REFERENCE VALUE	SAMPLE	METHOD
★ 26464-8 White Blood Cells (WBC)	8.64	x10 ³ /μL	4.00 - 11.00	EDTA	FC
★ 26453-1 Red Blood Cells (RBC)	4.37	x10 ⁶ /μL	4.20 - 5.40	EDTA	DC
★ 718-7 Haemoglobin (Hb)	13.1	g/dL	12.0 - 16.0	EDTA	SLS
★ 4544-3 Haematocrit (HCT)	38.6	%	37.0 - 47.0	EDTA	DC
★ 785-6 MCH	30.0	pg	27.0 - 32.0	EDTA	Calc
★ 787-2 MCV	88.3	fl	82.0 - 92.0	EDTA	Calc
★ 786-4 MCHC	33.9	g/dL	32.0 - 36.0	EDTA	Calc
★ 21000-5 RDW-SD	43.3	fl	36.4 - 47.0	EDTA	Calc
★ 788-0 RDW-CV	13.2	%	11.5 - 14.5	EDTA	Calc
★ 777-3 Platelets (PLT)	360	x10 ³ /μL	150 - 400	EDTA	DC
★ 32207-3 PDW	10.7	fl	9.0 - 17.0	EDTA	Calc
★ 32623-1 MPV	9.8	fl	9.0 - 13.0	EDTA	Calc
★ 71693-6 P-LCR	22.6	%	13.0 - 43.0	EDTA	Calc
★ 51637-7 PCT	0.35	%	0.17 - 0.35	EDTA	Calc
★ 751-8 Neutrophils (NEUT#)	5.06	x10 ³ /μL	1.56 - 6.45	EDTA	FFC
★ 731-0 Lymphocytes (LYMPH#)	2.46	x10 ³ /μL	0.95 - 3.07	EDTA	FFC
★ 742-7 Monocytes (MONO#)	0.70	x10 ³ /μL	0.10 - 0.80	EDTA	FFC
★ 711-2 Eosinophils (EO#)	0.33	x10 ³ /μL	< 0.48	EDTA	FFC
★ 704-7 Basophils (BASO#)	0.09	x10 ³ /μL	< 0.10	EDTA	FFC
★ 53115-2 Immature Granulocytes (IG#)	0.01	10 ³ /uL	< 0.09	EDTA	FFC
★ 770-8 Neutrophils (NEUT%)	58.6	%	40.0 - 75.0	EDTA	Calc
★ 736-9 Lymphocytes (LYMPH%)	28.5	%	20.0 - 45.0	EDTA	Calc
★ 5905-5 Monocytes (MONO%)	8.1	%	2.0 - 12.0	EDTA	Calc
★ 713-8 Eosinophils (EO%)	3.8	%	< 6.0	EDTA	Calc
★ 706-2 Basophils (BASO%)	1.0	%	< 1.0	EDTA	Calc
★ 38518-7 Immature Granulocytes (IG%)	0.1	%	< 0.6	EDTA	Calc

★ In scope of ISO accreditation. ▲ Results lie out of reference values.

— End of Report Full Blood Count (FBC) —

This report cannot be reproduced by any means without the written permission of the laboratory.



L126



NONIS CLINICAL
LABORATORY

NONIS MINA · GYÖRÖK ANDREA · THOMAS MINA

Authorised by

Thomas Mina

11/06/2024 10:34 a.m.



Nonis Clinical Laboratory

Hematology • Biochemistry • Immunology • Microbiology

Nonis Lab • Grigori Afxentiou 5 • Mesa Geitonia 4003 • Limassol Cyprus
Tel 7000 8901 • Fax 25 755 165 • info@nonislab.com • www.nonislab.com

VISIT ID 80959	NAME MANUELA HERRERA	GENDER FEMALE	DOB / AGE Jan. 10, 1984 (40 Years)	BENEFICIARY ID / HIO CODE 505095861 / 143503
DOCTOR [D2200] ΕΥΑΓΓΕΛΙΑ ΑΝΔΡΕΟΥ ·			DATE SAMPLED 10/06/2024 07:34 a.m.	DATE COMPLETED 11/06/2024 07:24 a.m. (T. M.)

HIO Execution ID: 83147495 · 83147498 · 83147485 · 83147489


Hormones

EXAMINATION	RESULT	UNITS	REFERENCE VALUE	SAMPLE	METHOD
11580-8 Thyroid Stimulating Hormone (TSH)	1.87	mIU/L	0.27 - 4.20	Serum	CMIA
14920-3 Free Thyroxine (FT4)	1.06	ng/dL	0.92 - 1.68	Serum	CMIA

⚠ Results lie out of reference values.

— End of Report Hormones —

This report cannot be reproduced by any means without
the written permission of the laboratory.



Authorised by

Thomas Mina

11/06/2024 10:34 a.m.



Nonis Clinical Laboratory

Hematology • Biochemistry • Immunology • Microbiology

Nonis Lab • Grigori Afxentiou 5 • Mesa Geitonia 4003 • Limassol Cyprus
Tel 7000 8901 • Fax 25 755 165 • info@nonislab.com • www.nonislab.com

VISIT ID 80959	NAME MANUELA HERRERA	GENDER FEMALE	DOB / AGE Jan. 10, 1984 (40 Years)	BENEFICIARY ID / HIO CODE 505095861 / 143503
DOCTOR [D2200] ΕΥΑΓΓΕΛΙΑ ΑΝΔΡΕΟΥ ·			DATE SAMPLED 10/06/2024 07:34 a.m.	DATE COMPLETED 11/06/2024 07:24 a.m. (T. M.)

HIO Execution ID: 83147495 · 83147498 · 83147485 · 83147489

Immunology - Infections

EXAMINATION	RESULT	UNITS	REFERENCE VALUE	SAMPLE	METHOD
63557-3 HBsAg	< 0.02	IU/ml	< 0.05 Negative/Αρνητικό > 0.05 Positive/Θετικό	Serum	CLIA
34147-9 Syphilis TP IgG+IgM abs	0.19	S/CO	< 1.00 Negative/Αρνητικό > 1.00 Positive/Θετικό	Serum	CMIA
16128-1 Anti-HCV	0.09	S/CO	> 1.00 Positive/Θετικό < 1.00 Negative/Αρνητικό	Serum	CLIA
73905-2 HIV 1-2 Ab + p24 Ag	< 0.01	S/CO	< 1.00 Negative/Αρνητικό > 1.00 Positive/Θετικό	Serum	CMIA
5124-3 CMV IgG	< 0.01	AU/mL	< 2.00 Negative/Αρνητικό > 2.00 Positive/Θετικό	Serum	ECLIA
24119-0 CMV IgM	0.32	Index	< 2.00 Negative/Αρνητικό 2.00 - 4.20 Equivocal/Οριακό > 4.20 Positive/Θετικό	Serum	CMIA
5334-8 Rubella, IgG	27.4	IU/mL	< 2.0 Negative/Αρνητικό ≥ 2.0 Positive/Θετικό	Serum	ELFA
8039-0 Toxoplasma IgG	< 0.01	IU/mL	> 2.00 Positive/Θετικό < 2.00 Negative/Αρνητικό	Serum	ECLIA
40678-5 Toxoplasma IgM	0.57	Index	< 2.00 Negative/Αρνητικό 2.00 - 2.60 Doubtful/Αμφίβολο > 2.60 Positive/Θετικό	Serum	ECLIA

⚠ Results lie out of reference values.

— End of Report Immunology - Infections —

This report cannot be reproduced by any means without the written permission of the laboratory.



Authorised by

Thomas Mina

11/06/2024 10:34 a.m.



Nonis Clinical Laboratory

Hematology • Biochemistry • Immunology • Microbiology

Nonis Lab • Grigori Afxentiou 5 • Mesa Geitonia 4003 • Limassol Cyprus

Tel 7000 8901 • Fax 25 755 165 • info@nonislab.com • www.nonislab.com

VISIT ID 80959	NAME MANUELA HERRERA	GENDER FEMALE	DOB / AGE Jan. 10, 1984 (40 Years)	BENEFICIARY ID / HIO CODE 505095861 / 143503
DOCTOR [D2200] ΕΥΑΓΓΕΛΙΑ ΑΝΔΡΕΟΥ ·			DATE SAMPLED 10/06/2024 07:34 a.m.	DATE COMPLETED 11/06/2024 07:24 a.m. (T. M.)

HIO Execution ID: 83147495 · 83147498 · 83147485 · 83147489

Urine Routine Analysis

EXAMINATION	RESULT	UNITS	REFERENCE VALUE	SAMPLE	METHOD
5778-6 Colour	Normal		Pale yellow / Ωχροκίτρινη	Urine	Macro
5767-9 Turbidity	Normal		Clear/Διαυγής	Urine	Macro
5799-2 Urine Leukocyte Esterase	NIL/OXI	Leu/uL	NIL/OXI	Urine	Strip
5811-5 Specific Gravity	1.015	g/L	1.003 - 1.035	Urine	Strip
5803-2 pH	6.0	pH	4.6 - 8.0	Urine	Strip
20454-5 Protein	NIL/OXI	mg/dL	<Trace/Ίχνη	Urine	Strip
5792-7 Glucose	NIL/OXI	mg/dL	Nil/Όχι	Urine	Strip
2514-8 Ketones	NIL/OXI	mg/dL	Nil/Όχι	Urine	Strip
20409-9 Blood	NIL/OXI	Ery/μL	Nil/Όχι	Urine	Strip
5818-0 Urobilinogen	Normal	mg/dL	< 1.8	Urine	Strip
5770-3 Bilirubin	NIL/OXI	mg/dL	Nil/Όχι	Urine	Strp
5802-4 Nitrite	NIL/OXI	mg/dL	Nil/Όχι	Urine	Strip
5821-4 White Blood Cells (WBCs)	0-1	/hpf	0 - 4	Urine	Microscopy
13945-1 Red Blood Cells (RBCs)	NIL/OXI	/hpf	0 - 4	Urine	Microscopy
58444-1 Urine Erythrocytes dysmorphic	NIL/OXI	/hpf		Urine	Microscopy
5787-7 Epithelial Cells	5-6	/hpf	0 - 4	Urine	Microscopy
53978-3 Urine non-Squamous Epithelial Cells	NIL/OXI	/hpf		Urine	Microscopy
8248-7 Urine Spermatozoa	NIL/OXI			Urine	Microscopy
5782-8 Crystals	NIL/OXI		Nil/Όχι	Urine	Microscopy
58436-7 Casts	NIL/OXI	/lpf	Nil/Όχι	Urine	Microscopy
5796-8 Urine Hyaline Casts	NIL/OXI	/lpf	0 - 2	Urine	Microscopy
8246-1 Salts	NIL/OXI		Nil/Όχι	Urine	Microscopy
8247-9 Mucous	NIL/OXI		Few/Λίγη	Urine	Microscopy
58437-5 Microorganisms	NIL/OXI		Nil/Όχι	Urine	Microscopy
20456-0 Urine Fungi yeastlike	NIL/OXI		Nil/Όχι	Urine	Microscopy
630-4 Culture	Negative		Negative/Αρνητική	Urine	Culture

⚠ Results lie out of reference values.

— End of Report Urine Routine Analysis —

This report cannot be reproduced by any means without the written permission of the laboratory.



Authorised by

Thomas Mina

11/06/2024 10:34 a.m.