

DAHLSTROM, VERA

For Surgery Use ☐ Urgent ☐ Ring Patient ☐ Make Appointment ☐ Note in Chart ☐ File ☐

Patient	DALEY, BRIGITTE	RPN 20 OAK ST MILLAA MILLAA QLD 4886	Requested	05/10/2023
Sex	F	Age 56 years DOB 14/12/1966	Collected	05/10/2023 10:45 AM
Report For	DAHLSTROM, VERA		Reported	09/10/2023 12:21 PM
Ref. by/copy to	DAHLSTROM, VERA			

CUMULATIVE VITAMIN B12 AND FOLATE ASSAYS

Date	05/10/23
Time	10:45
Lab No	69985653

Active B12	> 146	pmol/L	(> 35)
R.Fol.	860	nmol/L	(545-3370)

Comment:  
69985653

Red Cell Folate Assay:  
Essentially normal Red Cell Folate. Correlate with serum Folate.

Holo TC Assay:  
No suggestion of vitamin B12 deficiency.  
High B12 levels are commonly seen with vitamin B12 replacement therapy.

Methodology:  
B12 and Active B12 (HoloTC) assays performed on Siemens Atellica analyser.

For Doctor clinical enquiries, please contact Dr Peter Davidson 07 3121 4444.  
Patients should contact their referring doctor in regard to this result.

Clinical:  
Please note that Medicare requirements for folate testing reflect current best practice. Red cell folate will be reserved for patients with borderline values of serum folate (between 4.5 and 7.0) nmol/L).