

Australian Clinical Labs 1 GOODWOOD RD, WAYVILLE

Patient: BARNDON, ESTHER
124 CRAIGIE DRIVE
CRAIGIE WA 6025

DOB: 14/Jun/1983

Sex: F

Reported: 11/06/2024 06:51

Reference:

Phone No: 0433 615 639

Referred: 23/May/2024

Collected: 23/05/2024 09:31

Tested: 23/05/2024 11:46

UR/MR No.:

Lab No: 24-21387508-RT3-0

Status: Final

Patient Belongs to User: KRISTIN BECKEDAHL NATR9265

Test: RT3-RT3

CLINICAL NOTES: fasted state (9-10 hours)

REVERSE T3

SPECIMEN: Plasma

Reverse T3 427 pmol/L (138 - 539)

Adults 138.6 - 539

Paediatrics range not available.

NATA/RCPA accreditation does not cover the performance of this service

RT3-C THA-R FT3-R FT4-R TFT-R SZN-R

All tests on this request have now been completed

Australian Clinical Labs 1868 DANDENONG RD, CLAYTON

Patient:	BARNDON, ESTHER 124 CRAIGIE DRIVE CRAIGIE WA 6025	Referred:	23/May/2024
DOB:	14/Jun/1983	Collected:	23/05/2024 09:31
Sex:	F	Tested:	23/05/2024 11:46
Reported:	28/05/2024 08:16	UR/MR No.:	
Reference:		Lab No:	24-21387508-TMS-0
Phone No:	0433 615 639	Status:	Final
		Patient Belongs to User:	KRISTIN BECKEDAHL NATR9265

Test: TMS-Trace Metals Serum/Plasma

CLINICAL NOTES: fasted state (9-10 hours)

TOXICOLOGY
TRACE METALS

SPECIMEN: SERUM/PLASMA

Date: 23/05/24
Coll. Time: 09:31
Lab Number: 21387508

Zinc 16.9 (9.0 - 18.0) umol/L

RT3-W THA-R FT3-R FT4-R TFT-R SZN-C

This request has other tests in progress at the time of reporting

Australian Clinical Labs 23 WALTERS DRIVE, OSBORNE PARK

Patient:	BARNDON, ESTHER 124 CRAIGIE DRIVE CRAIGIE WA 6025	Referred:	23/May/2024
DOB:	14/Jun/1983	Collected:	23/05/2024 09:31
Sex:	F	Tested:	23/05/2024 11:46
Reported:	24/05/2024 20:04	UR/MR No.:	
Reference:		Lab No:	24-21387508-THA-0
Phone No:	0433 615 639	Status:	Final
		Patient Belongs to User:	KRISTIN BECKEDAHL NATR9265

Test:	THA-Thyroid Autoantibodies
--------------	----------------------------

CLINICAL NOTES: fasted state (9-10 hours)

BIOCHEMISTRY - THYROID AUTOANTIBODIES - CUMULATIVE				SPECIMEN: SERUM
Date	Lab Number	aTGII (IU/ml) (< 4.5)	aTPO (U/ml) (< 60)	
23/05/24	21387508	< 1.4	36	

Key:
aTGII - anti-thyroglobulin antibodies
aTPO - anti-thyroid peroxidase antibodies

Anti-ThyroGlobulin assay (aTGII) is standardised to the WHO International Reference Preparation, Human (NIBSC 65/093) and is performed on the Siemens Centaur/Atellica Immunoassay systems.

Normal thyroid antibodies.

RT3-W THA-C FT3-R FT4-R TFT-R SZN-W

This request has other tests in progress at the time of reporting

Australian Clinical Labs 23 WALTERS DRIVE, OSBORNE PARK

Patient:	BARNDON, ESTHER 124 CRAIGIE DRIVE CRAIGIE WA 6025	Referred:	23/May/2024
DOB:	14/Jun/1983	Collected:	23/05/2024 09:31
Sex:	F	Tested:	23/05/2024 11:46
Reported:	24/05/2024 07:05	UR/MR No.:	
Reference:		Lab No:	24-21387508-TMA-0
Phone No:	0433 615 639	Status:	Final
		Patient Belongs to User:	KRISTIN BECKEDAHL NATR9265
Test: TMA-TFT Master Panel			

CLINICAL NOTES: fasted state (9-10 hours)

ENDOCRINOLOGY

THYROID FUNCTION TEST

SPECIMEN: SERUM

Date:	23/05/24	23/05/24	
Coll. Time:	09:31	09:31	
Lab Number:	21387508	21387509	

Free T4	16.6		(9.0 - 20.0) pmol/L
TSH	0.94	0.94	(0.40 - 4.00)mIU/L
Free T3	4.9		(3.5 - 6.5) pmol/L

21387508 Euthyroid levels.
Thyroid antibodies to follow.

Validated by Dr. W. Jenner

RT3-W THA-W FT3-C FT4-C TFT-C SZN-W

This request has other tests in progress at the time of reporting