

Referrer **Dr Martin J Deuble**
Address **ATHERTON CLINIC 2 WYLIE ST
ATHERTON QLD 4883**
Phone **0740912300**

Your ref. **16558**
Address **5 MOFFAT DRIVE
TOLGA QLD 4882**
Phone **40955689 0400051434**

Copy to

Requested **22/06/2018**
Collected **06/10/2018 07:57 AEDT**
Received **06/10/2018 07:57 AEDT**

25 Hydroxy Vitamin D

Test Name	Result	Units	Reference Interval
25-OH Vitamin D	51	nmol/L	50 - 150

Comments

According to the Position Statement 'Vitamin D and health in adults in Australia and New Zealand' MJA, 196(11):1-7, 2012, vitamin D status is defined as:

Vitamin D adequacy: >49 nmol/L at the end of winter
(levels may need to be 10-20 nmol/L higher at the end
of summer, to allow for seasonal decrease.)
Mild vitamin D deficiency: 30-49 nmol/L
Moderate vitamin deficiency: 12.5-29 nmol/L
Severe vitamin D deficiency: < 12.5 nmol/L

EA

SULLIVAN NICOLAIDES PTY LTD. ABN 38 078 202 196. NATA/RCPA ACCREDITATION NO 1964