

Name: Ben Ramsden-Stein | DOB: 10/30/1984 | Legal Name: Benjamin Ramsden-Stein

COPPER

Collected on June 13, 2024 5:25 PM

If you have questions or concerns regarding your test results, contact the clinician who ordered the test. ▼

Lab tests - Serum (Blood)

New comments

Bruce Eisendorf, MD Jun 24 at 7:40 AM

Ben- normal copper level. I will e-mail you when I have the result of the testosterone level.

Bruce Eisendorf, MD

Results New

Copper, Serum

Normal range: 70 - 175 ug/dL



Note
(Note)
This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

MDF
med fusion
2501 South State Highway 121,Suite 1100
Lewisville TX 75067
972-966-7300
Ithiel James L. Frame, MD, PhD

Authorizing provider: Gunnar Roll, PA
Collection date: June 13, 2024 5:25 PM
Result date: June 23, 2024 4:56 PM
Result status: Final
Resulting lab:
MED FUSION LABORATORIES
2501 S.State Hwy 121,Ste 1100, Microdept
LEWISVILLE TX 75067-8188
972-966-7000
Robert L. Breckenridge, MD (Lab director)

MyChart® licensed from Epic Systems Corporation© 1999 - 2024