DUNN, LUANA

77 MILPERA CRES, WANTIRNA. 3152

Phone: 98375925 Birthdate: 13/04/2009 Sex: F Medicare Number: 42243092493

Your Reference: Lab Reference: 24-31899286-FPC-0

Laboratory: DOREVITCH PATHOLOGY

Addressee: DR M TAKLA Referred by: DR M TAKLA

Name of Test: FAECAL MULTIPLEX PCR

Requested: 11/07/2024 Collected: 11/07/2024 Reported: 13/07/2024

11:31

FAECAL MULTIPLEX PCR

Parasites Entamoeba histolytica DNA Not Detected Giardia species DNA Not Detected
Dientamoeba species DNA DETECTED Cryptosporidium species DNA Not Detected Blastocystis species DNA DETECTED

Yersinia enterocolitica DNA Not Detected Campylobacter species DNA Not Detected Shigella species DNA Not Detected Not Detected Aeromonas species DNA Not Detected N

The pathogenic role of Blastocystis spp and Dientamoeba fragilis have not been established. Most cases do not require antimicrobial treatment and this will often not clear the organisms but may disrupt normal gut flora. If symptomatic, other causes should be excluded (eg other infections, Irritable Bowel Syndrome, food intolerances etc). Screening for clearance of the organisms or testing of the family members is not recommended.

Please Note:

It is highly recommended to request both MC&S and PCR for optimal detection of enteric pathogens causing gastroenteritis.

Requested Tests : FZ*, FPC

DUNN, LUANA

77 MILPERA CRES, WANTIRNA. 3152

Phone: 98375925

Birthdate: 13/04/2009 Sex: F Medicare Number: 42243092493

Your Reference: Lab Reference: 24-96129962-AML-0

Laboratory: DOREVITCH PATHOLOGY

Addressee: DR M TAKLA Referred by: DR M TAKLA

Name of Test: PANCREATIC STUDIES-SERUM

Requested: 11/07/2024 Collected: 11/07/2024 Reported: 11/07/2024

23:11

SERUM PANCREATIC STUDIES

Coll.Date: 11/07/24 Coll.Time: 07:40 Lab.No: 96129962

CONTROL OF THE STATE OF THE STA

Units Ref.Range Amylase: 31 -- U/L (0-100)

COMMENTS:

- Note: The elevation of serum amylase in acute pancreatitis is transient, usually returning to normal levels within 48 hours. Other causes of an elevated serum amylase, in the setting of an acute abdomen, include gastrointestinal perforation (including a ruptured peptic ulcer), intestinal obstruction, acute biliary disease, ruptured ectopic pregnancy and intestinal ischaemia or infarction. Serum amylase can also be increased with parotitis.

Requested Tests : TFT, FES, CRP, FBE, ESU, BFO, AML

DUNN, LUANA

77 MILPERA CRES, WANTIRNA. 3152

Phone: 98375925
Birthdate: 13/04/2009 Sex: F Medicare Number:
Your Reference: Lab Reference: 24-31899286-FZ-0 42243092493

Laboratory: DOREVITCH PATHOLOGY

Addressee: DR M TAKLA Referred by: DR M TAKLA

Name of Test: FAECES MICROSCOPY

Requested: 11/07/2024 Collected: 11/07/2024 Reported: 14/07/2024

11:49

MICROBIOLOGICAL EXAMINATION OF FAECES: FIRST SPECIMEN SPECIMEN DATE: 11/07/24

APPEARANCE : Unformed CONCENTRATE : To follow.

No Salmonella, Shigella or Campylobacter species isolated.

Requested Tests : FZ, FPC