



<b>Ordering Provider:</b> TRANG M. TRAN, MD		<b>Patient Name:</b> CHAMBERS, KEVIN M			
		<b>Patient ID (MRN):</b> AAAI8992		<b>Client PT ID (MRN):</b> CK361257	
		<b>Date of Birth:</b> 9/14/1993		<b>Sex:</b> M <b>Age:</b> 31Y	
<b>Location:</b> ONS;1		<b>Patient Phone #:</b> (505) 967-8903		<b>Portal Patient ID:</b> 65359239	
<b>Requisition#:</b> 331701398	<b>Report Status:</b> Preliminary	<b>Collection Date/Time:</b> 11/26/2024 07:55		<b>Receive Date/Time:</b> 11/26/2024 10:03	
<b>Test Name</b>	<b>Flag</b>	<b>Result</b>	<b>Ref Range</b>	<b>Units</b>	<b>Lab</b>
<b>Lead, Blood</b>					
Lead result, WBld		1.1	<3.5	ug/dL	{TC}
Lead comment		No action needed			{TC}
Monitor BLL if ongoing exposure This test was developed and its performance characteristics determined by TriCore Reference Laboratories. It has not been cleared or approved by the FDA. TriCore Reference Laboratories is regulated under CLIA as qualified to perform high-complexity testing. This test is used for clinical purposes. It should not be regarded as investigational or for research.					
{TC} = Performed at TriCore Reference Laboratories, 1001 Woodward PL NE, Albuquerque, NM 87102. CLIA 32D0534957 David Grenache, PhD					

Legend: H= High, L= Low, @= Abnormal, \*= Critical Value

The information contained in this message is confidential information intended ONLY for the use of the individual or entity named above. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Unauthorized re-disclosure or failure to maintain confidentiality could subject you to penalties described in federal and state law. If you have received this communication in error, PLEASE NOTIFY US IMMEDIATELY by telephone and shred/delete the original message.