



Ordering Provider: TRANG M. TRAN, MD		Patient Name: CHAMBERS, KEVIN M			
		Patient ID (MRN): AAAI8992		Client PT ID (MRN): CK361257	
		Date of Birth: 9/14/1993 Sex: M Age: 31Y			
Location: ONS;1		Patient Phone #: (505) 967-8903		Portal Patient ID: 65359239	
Requisition#: 331701398	Report Status: Final	Collection Date/Time: 11/26/2024 07:55		Receive Date/Time: 11/26/2024 12:28	
Test Name	Flag	Result	Ref Range	Units	Lab
Estradiol		18.8	10.0-42.0	pg/mL	{AR}
<p>(NOTE) REFERENCE INTERVAL: Estradiol by Mass Spec Pre-menopausal: Early follicular 30.0-100.0 pg/mL Pre-menopausal: Late follicular 100.0-400.0 pg/mL Pre-menopausal: Luteal 50.0-150.0 pg/mL Post-menopausal 2.0-21.0 pg/mL REFERENCE INTERVAL: Estradiol by Mass Spec For a complete set of all established reference intervals, refer to ltd.aruplab.com/Tests/Pub/0093247. This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes. Performed By: ARUP Laboratories 500 Chipeta Way Salt Lake City, UT 84108 Laboratory Director: Jonathan R. Genzen, MD, PhD CLIA Number: 46D0523979</p>					
{AR} = Performed at ARUP Laboratories, Inc 500 Chipeta Way, Salt Lake City, UT 84108. CLIA 46D0523979					

Legend: H= High, L= Low, @= Abnormal, *= Critical Value

The information contained in this message is confidential information intended ONLY for the use of the individual or entity named above. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Unauthorized re-disclosure or failure to maintain confidentiality could subject you to penalties described in federal and state law. If you have received this communication in error, PLEASE NOTIFY US IMMEDIATELY by telephone and shred/delete the original message.