

LABORATORY 3427-24606 1 BUTLER BOULEVARD ADELAIDE AIRPORT SA 5950 PH: 08 8205 5655		
PATIENT: MACUSHLA MOLONEY C/O IMEDICAL 1 UNION ST PYRMONT NSW 2009 PH: DOB: 15/07/1984 SEX: FEMALE UR#: REF:	REQUEST DETAILS: LAB REF: 25-27840391-HCY-0 REFERRED: 04/02/25 COLLECTED: 04/02/25 08:38 REPORTED: 04/02/25 21:26 TESTED: 04/02/25 BATCH: 0 0	IMEDICAL LIFE IMEDICAL LIFE 1 UNION ST PYRMONT NSW 2009

CLINICAL HISTORY: /

HOMOCYSTEINE **SPECIMEN: Serum**

Date	04/02/2025
Collection Time	08:38
Request	25-27840391

		Units	Reference Range
Fasting status	Fasting		
Homocysteine	8.9	µmol/L	5.0 - 15.0

Comments:
Normal homocysteine level.
Homocysteine concentrations have been used to categorise
Cardiovascular risk:
<10 µmol/L - desirable
10 - 15 µmol/L - intermediate risk
15 - 30 µmol/L - high risk
>30 µmol/L - very high risk.

B
I
O
C
H
E
M
I
S
T
R
Y

LABORATORY 3427-24606 1 BUTLER BOULEVARD ADELAIDE AIRPORT SA 5950 PH: 08 8205 5655		
PATIENT: MACUSHLA MOLONEY C/O IMEDICAL 1 UNION ST PYRMONT NSW 2009 PH: DOB: 15/07/1984 SEX: FEMALE UR#: REF:	REQUEST DETAILS: LAB REF: 25-27840391-TSH-0 REFERRED: 04/02/25 COLLECTED: 04/02/25 08:38 REPORTED: 04/02/25 20:07 TESTED: 04/02/25 BATCH: 0 0	IMEDICAL LIFE IMEDICAL LIFE 1 UNION ST PYRMONT NSW 2009

CLINICAL HISTORY: /

THYROID FUNCTION TEST

SPECIMEN: Serum

Date04/02/2025

Collection Time08:38

Request25-27840391

		Units	Reference Range
Thyroid Stimulating Hormone	2.29	mIU/L	0.40 - 4.00

Comments:

ENDOCRINOLOGY

LABORATORY 3427-24606 1 BUTLER BOULEVARD ADELAIDE AIRPORT SA 5950 PH: 08 8205 5655

PATIENT:

MACUSHLA MOLONEY

C/O IMEDICAL 1 UNION ST

PYRMONT NSW 2009

PH:

DOB: 15/07/1984

SEX: FEMALE

UR#:

REF:

REQUEST DETAILS:

LAB REF: 25-27840391-THA-0

REFERRED: 04/02/25

COLLECTED: 04/02/25 08:38

REPORTED: 04/02/25 20:04

TESTED: 04/02/25

BATCH: 0 0

IMEDICAL LIFE

IMEDICAL LIFE

1 UNION ST

PYRMONT NSW 2009

CLINICAL HISTORY: /

IMMUNOLOGY SPECIMEN: SERUM

THYROID AUTOANTIBODIES

Anti-ThyroGlobulin assay aTGII **49.3** U/ml < 4.5

Thyroid Peroxidase (TPO) antibodies 45 U/ml (< 60)

Key:

aTGII - anti-thyroglobulin antibodies

aTPO - anti-thyroid peroxidase antibodies

Anti-ThyroGlobulin assay (aTGII) is standardised to the WHO International Reference Preparation, Human (NIBSC 65/093) and is performed on the Siemens Centaur/Atellica Immunoassay systems.

Elevated thyroglobulin antibody level. This may be associated with auto-immune thyroid disease.

PATIENT: MACUSHLA MOLONEY

PANEL CODES: HCY-W,TSH-W,THA-R,FT3-R,FT4-R

LABORATORY 3427-24606 1 BUTLER BOULEVARD ADELAIDE AIRPORT SA 5950 PH: 08 8205 5655

PATIENT:

MACUSHLA MOLONEY

C/O IMEDICAL 1 UNION ST

PYRMONT NSW 2009

PH:

DOB: 15/07/1984

SEX: FEMALE

UR#:

REF:

REQUEST DETAILS:

LAB REF: 25-27840391-TMA-0

REFERRED: 04/02/25

COLLECTED: 04/02/25 08:38

REPORTED: 04/02/25 20:04

TESTED: 04/02/25

BATCH: 0 0

IMEDICAL LIFE

IMEDICAL LIFE

1 UNION ST

PYRMONT NSW 2009

CLINICAL HISTORY: /

Date 04/02/2025

Collection Time 08:38

Request 25-27840391

			Units	Reference Range
Free thyroxine (FT4)	14.3		pmol/L	9.0 - 25.0
Free Tri-iodothyronine (FT3)	4.9		pmol/L	3.5 - 6.5

Comments:

P
A
T
H
O
L
O
G
Y

PATIENT: MACUSHLA MOLONEY

PANEL CODES: HCY-W,TSH-W,THA-R,FT3-R,FT4-R