

Pathology Report

COCLIFF, Alyse

QML Pathology

For Surgery Use ☐ Urgent ☐ Ring Patient ☐ Make Appointment ☐ Note in Chart ☐ File ☐

Patient **STOCKI, Amanda Ana** 4 SCHOONER CT, BURLEIGH QLD
Sex **F** Age **35 years.** DOB **19/11/1986** Requested **26/04/2022**
Report For **COCLIFF, Alyse** Collected **26/04/2022 11:15 AM**
Ref. by/copy to Reported **27/04/2022 03:20 PM**

+ Serum Reverse T3 (RT3) 595 pmol/L (170-539)

Please note that as of 25/11/2021, QML Pathology changed to DIAsource Reverse T3-RIA testing. Reference interval has been revised.

CUMULATIVE SERUM THYROID FUNCTION TESTS

Date	02/07/20	27/01/22	06/04/22	26/04/22	
Time	09:05	09:50	08:15	11:15	
Lab No	99745779	69018660	69821526	69821919	
TSH	2.6	5.3	4.3	2.7	mIU/L (0.50-4.00)
free T4		16	14	16	pmol/L (10-20)
free T3				5.4	pmol/L (2.8-6.8)
Thyroglobulin AbII		< 1.3	< 1.3		IU/mL (< 4.6)
Thy. Peroxidase Ab		34	46		IU/mL (< 60)

Progress value

Please note that as of 06/9/2021, QML Pathology changed to a reformulated Atellica Thyroglobulin Antibody (TgAbII) assay. The reference interval has been updated. Differences in individual patient results may be observed compared to the previous method. If further information is required please contact a Chemical Pathologist on (07) 3121 4444.

Pathology Report

Pathology Report

COCLIFF, Alyse