26/04/2024 5:20:48 PM PAGE 1/001 Sonic Healthcare

NURSE PRAC LINDSEY JOHNSON UPDOC LEVEL 2 235 COMMONWEALTH ST SURRY HILLS NSW 2010



This facsimile is intended for the referrer specified above. The contents are confidential and contain legally privileged information. If you have received this document in error, please telephone Sullivan Nicolaides Pathology immediately on 07 3377 8666 or 1800 777 877 (for callers outside the Brisbane metropolitan area).

Patient AITKEN Luke Ph 0401772037 DOB 10-May-1982 Requested 10-Apr-2024

 Address
 5/10 Alexandra Pde, Maroochydore 4558
 Age
 41 Yrs
 Sex M
 Collected
 26-Apr-2024 08:22 hrs

 Ref by
 Nurse Prac Lindsey Johnson
 Lab
 525439541
 Printed
 26-Apr-2024 17:19 hrs

Lab Brisbane

Enquiries Drs Daley, Kanowski, Price (07)3377 8666 Biochemistry

HIV 1/2 Serology

HIV Ag/Ab Negative

Comments:

HIV-1/HIV-2 antigen/antibody assay performed by Abbott CMIA.

Approximately 50-90% of patients report signs and symptoms suggestive of primary HIV infection at the time of seroconversion, which mostly occurs at 10-14 days after exposure (range 3 days to 10 weeks). Onset of symptoms often coincides with the detection of HIV antigen/antibodies although testing can be negative for up to 3 weeks after symptoms develop. Negative results performed less than 12 weeks after exposure should be repeated at least 12 weeks after exposure to exclude transmission.