



Patient Information	Specimen Information	Client Information
<b>GAGNON, HANNAH</b>  <b>DOB: 04/25/1988    AGE: 37</b> Gender: NG Phone: NG Patient ID: 127993748	Specimen: WX706190F Requisition: 2783726 Lab Ref #: 11816418  Collected: 05/22/2025 / 13:23 CDT Received: 05/23/2025 / 01:09 CDT Reported: 05/26/2025 / 06:15 CDT	Client #: 12044142    4000000 JONES, KAYLYNN ALBA FAMILY PRACTICE 990 PLANK RD MENASHA, WI 54952-2936

Test Name	In Range	Out Of Range	Reference Range	Lab
THYROID PANEL WITH TSH				
THYROID PANEL				CB
T3 UPTAKE	34		22-35 %	
T4 (THYROXINE), TOTAL	7.5		mcg/dL	
	Reference Range			
	Male: 4.9-10.5			
	Female: 5.1-11.9			
	No gender provided. Flagging based upon the most conservative reference range for either gender.			
FREE T4 INDEX (T7)	2.6		1.4-3.8	
TSH	1.18		0.40-4.50 mIU/L	CB
THYROID PEROXIDASE AND THYROGLOBULIN ANTIBODIES				
THYROGLOBULIN ANTIBODIES	<1		< or = 1 IU/mL	CB
THYROID PEROXIDASE				CB
ANTIBODIES	2		<9 IU/mL	
IODINE, RANDOM URINE	107		34-523 mcg/L	AMD

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute Chantilly, VA. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

COPPER	104		70-175 mcg/dL	CB
--------	-----	--	---------------	----

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

ZINC	81		60-130 mcg/dL	CB
------	----	--	---------------	----

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

**PERFORMING SITE:**

AMD QUEST DIAGNOSTICS/NICHOLS CHANTILLY, 14225 NEWBROOK DRIVE, CHANTILLY, VA 20151-2228 Laboratory Director: PATRICK W. MASON,MD,PHD, CLIA: 49D0221801  
CB QUEST DIAGNOSTICS WOOD DALE, 1355 MITTEL BOULEVARD, WOOD DALE, IL 60191-1024 Laboratory Director: ANTHONY V THOMAS, CLIA: 14D0417052