

17 Apr 2019 15:14	Antinuclear antibody;; Anti-neutrophil cytoplasmic antibody level; Skin antibody level; Anti-neutrophil cytoplasmic antibody level; Autoimmunity profile	Report ID: 1960700964	RM100 1229350
-------------------	--	-----------------------	---------------

Request Receipt:

Request Comments:

Issued: 17 Apr 2019 15:14

Provider Comments:

Arrived: 18 Apr 2019 17:11

Service Type: New

Financial Details:

Follow-up action: Make an appointment to see doctor

Clinical Information: recurrent UTI and genital ulcers [swabs and UTI investigation NAD]

Antinuclear antibody:

Specimen: SST Serum

Collected: 16 Apr 2019 11:10

Investigation	Normality	Result
Antinuclear antibody: ANA (ELISA) screen		0.2 [0.0 - 1.0]; Negative Including: dsDNA, RNP, Ro, La, Centromere, Scl-70, Sm, Jo-1, Fibrillarin, RNA Pol III, Rib-P, PM-Scl, PCNA, Mi-2 proteins.

Anti-neutrophil cytoplasmic antibody level (43GY.)

Specimen: SST Serum

Collected: 16 Apr 2019 11:10

Investigation	Normality	Result
Anti-neutrophil cytoplasmic antibody level (43GY.)		
Proteinase 3 antibody level (XaEMd)		< 0.70 iu/mL [0.0 - 3.0]
Myeloperoxidase antibody level (XaEOu)		< 0.30 iu/mL [0.0 - 5.0]

Skin antibody level (XaEOz)

Specimen: SST Serum

Collected: 16 Apr 2019 11:10

Investigation	Normality	Result
Skin antibody level (XaEOz)		
Pemphigoid antibody level (XaJmg)		NEGATIVE
Pemphigus antibody level (XaJmf)		POSITIVE

Anti-neutrophil cytoplasmic antibody level (43GY.)

Specimen: SST Serum

Collected: 16 Apr 2019 11:10

Investigation	Normality	Result
Anti-neutrophil cytoplasmic antibody level (43GY.)		
Anti-neutrophil cytoplasmic antibody level (43GY.)		Positive atypical ANCA pattern ICOMM Positive Atypical. This is a non-specific result and is seen in inflammatory bowel disease, primary sclerosing cholangitis, Autoimmune hepatitis, Systemic Lupus Erythematosus and rheumatoid arthritis. WEAK ATYPICAL PATTERN

Autoimmunity profile (43GG.)

Specimen: SST Serum

Collected: 16 Apr 2019 11:10

Investigation	Normality	Result
Autoimmunity profile (43GG.)		
Mitochondrial antibody screening test (XaEXS)		NEGATIVE
Anti-smooth muscle autoantibody level (XE2ph)		WEAK POSITIVE TO A TITRE OF 1/20
Anti-liver-kidney microsomal antibody level (43GW.)		NEGATIVE
Parietal cell autoantibody level (XE2pi)		NEGATIVE
Reticulin R1 autoantibody titre (43GP.)		NEGATIVE

Message Recipient: GP Practice: D82080 (Healthcare Organisation)

Ordering Party: GP: G8610395 - GREEN C (Healthcare Professional)

Message Recipient: GP: G8610395 - GREEN C (Healthcare Professional)

Laboratory Service Provider: Norfolk & Norwich University HCT (Healthcare Organisation)

Laboratory Service Provider: Immunopathology (Department)