

Patient Information	Specimen Information	Client Information
HANCOCK, TENISHA DOB: 04/21/1978 AGE: 46 Gender: F Fasting: Y Phone: 203.953.6199 Patient ID: 45474591	Specimen: AZ059092J Requisition: 0002871 Collected: 08/09/2024 / 08:36 EDT Received: 08/09/2024 / 08:46 EDT Reported: 08/20/2024 / 13:03 EDT	Client #: 10485914 QATL000 HANCOCK, MARK J HUMANIZING MEDICINE 135 MAPLE ST BLDG A DECATUR, GA 30030-3953

COMMENTS: FASTING: YES
SPECIALIZED COLLECTION. PATIENT REFERRED TO ALTERNATE SITE.

Test Name	In Range	Out Of Range	Reference Range	Lab
GGT	11		3-55 U/L	AT
HUMAN TRANSFORMING GROWTH FACTOR BETA 1 (TGF-β1)		7420 H	344-2382 pg/mL	CBR

The performance characteristics of the listed assay was validated by BioAgilytix Diagnostics. The US FDA has not approved or cleared this test. The results of this assay can be used for clinical diagnosis without FDA approval. BioAgilytix Diagnostics is a CLIA certified, CAP accredited laboratory for performing high complexity assays such as this one.

VEGF MUTATION ANALYSIS

EZ

SPECIMEN SOURCE:

BLOOD

TEST NOT PERFORMED:

VEGF-634
VEGF-1154
VEGF-1498
VEGF-2578

See Endnote 1

CERULOPLASMIN	28	14-48 mg/dL	AT
MATRIX METALLOPROTEINASE 9 (MMP 9)	604	0-900 ng/mL	SF1

Matrix Metalloproteinase-9 (MMP-9)

The performance characteristics of this test were determined by Pan Laboratories, Irvine, CA. It has not been cleared or approved by the U.S. Food and Drug Administration.

Endnote 1 TEST NOT PERFORMED

No suitable specimen received.
Please review the test requirements at
testdirectory.questdiagnostics.com

PERFORMING SITE:

AT QUEST DIAGNOSTICS-ATLANTA, 1777 MONTREAL CIRCLE, TUCKER, GA 30084-6802 Laboratory Director: ANDREW N YOUNG,MD,PHD, CLIA: 11D0255931
CBR BIOAGILYTIX DIAGNOSTICS, 1320 SOLDIERS FIELD ROAD, BOSTON, MA 02135-1020 Laboratory Director: NATALIE SMITH,PHD,HCLD(ABB), CLIA: 22D0926993
EZ QUEST DIAGNOSTICS/NICHOLS SJ, 33608 ORTEGA HWY, SAN JUAN CAPISTRANO, CA 92675-2042 Laboratory Director: IRINA MARAMICA,MD,PHD,MBA, CLIA: 05D0643352
SF1 PAN LABORATORIES, 15375 BARRANCA PARKWAY E-101, IRVINE, CA 92618-2217 Laboratory Director: ALAN N ELIAS,MD, CLIA: 05D2051927

LIST OF RESULTS PRINTED IN THE OUT OF RANGE COLUMN:

HUMAN TRANSFORMING GROWTH FACTOR BETA 1 (TGF-β1)	7420 H	344-2382 pg/mL	CBR
--	---------------	----------------	-----

The performance characteristics of the listed assay

Patient Information	Specimen Information	Client Information
HANCOCK, TENISHA DOB: 04/21/1978 AGE: 46 Gender: F Fasting: Y Patient ID: 45474591	Specimen: AZ059092J Collected: 08/09/2024 / 08:36 EDT Received: 08/09/2024 / 08:46 EDT Reported: 08/20/2024 / 13:03 EDT	Client #: 10485914 HANCOCK, MARK J

LIST OF RESULTS PRINTED IN THE OUT OF RANGE COLUMN:

was validated by BioAgilytix Diagnostics. The US FDA has not approved or cleared this test. The results of this assay can be used for clinical diagnosis without FDA approval. BioAgilytix Diagnostics is a CLIA certified, CAP accredited laboratory for performing high complexity assays such as this one.