

YOUR PERSONALIZED REPORT

PATHOGENS

The testing includes pathogens (bacterial, parasitic and viral) commonly known to cause gastroenteritis. Note that not all individuals with positive findings will present with symptoms. Many factors, including the health of the individual (such as immune health, digestive function, and microbiome balance), the transient nature of most pathogens, and the presence and expression of virulence factors, all contribute to pathogen virulence and individual symptoms.

BACTERIAL PATHOGENS

	Result	Reference
<i>Campylobacter</i>	<dl	< 1.00e3
<i>C. difficile</i> Toxin A	<dl	< 1.00e3
<i>C. difficile</i> Toxin B	<dl	< 1.00e3
<i>Enterohemorrhagic E. coli</i>	<dl	< 1.00e3
<i>E. coli</i> O157	<dl	< 1.00e3
Enteroinvasive <i>E. coli</i> / <i>Shigella</i>	<dl	< 1.00e3
Enterotoxigenic <i>E. coli</i> LT/ST	<dl	< 1.00e3
Shiga-like Toxin <i>E. coli</i> stx1	<dl	< 1.00e3
Shiga-like Toxin <i>E. coli</i> stx2	<dl	< 1.00e3
<i>Salmonella</i>	<dl	< 1.00e4
<i>Vibrio cholerae</i>	<dl	< 1.00e5
<i>Yersinia enterocolitica</i>	<dl	< 1.00e5

PARASITIC PATHOGENS

<i>Cryptosporidium</i>	<dl	< 1.00e6
<i>Entamoeba histolytica</i>	<dl	< 1.00e4
<i>Giardia</i>	<dl	< 5.00e3

VIRAL PATHOGENS

Adenovirus 40/41	<dl	< 1.00e10
Norovirus GI/II	<dl	< 1.00e7

KEY: Results are reported as genome equivalents per gram of stool, which is a standard method for estimating the number of microbes measured per gram of stool, based on qPCR analysis of DNA samples.

Results are expressed in standard scientific notation. For example, a reported result of 3.5e7 is equivalent to 3.5×10^7 microbes per gram, which equals 35,000,000 (35 million) microbes per gram of stool.

< dl represents results below detectable limit.






HELICOBACTER PYLORI

H. PYLORI & VIRULENCE FACTORS


	Result	Reference
<i>Helicobacter pylori</i>	2.66e2	< 1.00e3
Virulence Factor, babA	N/A	Negative
Virulence Factor, cagA	N/A	Negative
Virulence Factor, dupA	N/A	Negative
Virulence Factor, iceA	N/A	Negative
Virulence Factor, oipA	N/A	Negative
Virulence Factor, vacA	N/A	Negative
Virulence Factor, virB	N/A	Negative
Virulence Factor, virD	N/A	Negative

COMMENSAL/KEYSTONE BACTERIA

COMMENSAL BACTERIA

	Result		Reference
<i>Bacteroides fragilis</i>	1.27e9 L		1.6e9 - 2.5e11
<i>Bifidobacterium</i> spp.	2.25e9		> 6.7e7
<i>Enterococcus</i> spp.	2.64e6		1.9e5 - 2.0e8
<i>Escherichia</i> spp.	1.92e7		3.7e6 - 3.8e9
<i>Lactobacillus</i> spp.	1.14e7		8.6e5 - 6.2e8
<i>Enterobacter</i> spp.	7.89e5 L		1.0e6 - 5.0e7
<i>Akkermansia muciniphila</i>	1.09e5		1.0e1 - 8.2e6
<i>Faecalibacterium prausnitzii</i>	8.48e2 L		1.0e3 - 5.0e8
<i>Roseburia</i> spp.	2.16e7 L		5.0e7 - 2.0e10

BACTERIAL PHYLA

<i>Bacteroidetes</i>	3.65e10 L		8.6e11 - 3.3e12
<i>Firmicutes</i>	2.05e10 L		5.7e10 - 3.0e11
<i>Firmicutes:Bacteroidetes</i> Ratio	0.56		< 1.0

OPPORTUNISTIC/OVERGROWTH MICROBES

DYSBIOTIC & OVERGROWTH BACTERIA

	Result	Reference
<i>Bacillus</i> spp.	8.63e5	< 1.76e6
<i>Enterococcus faecalis</i>	5.40e4 High ↑	< 1.00e4
<i>Enterococcus faecium</i>	7.37e2	< 1.00e4
<i>Morganella</i> spp.	<dl	< 1.00e3
<i>Pseudomonas</i> spp.	<dl	< 1.00e4
<i>Pseudomonas aeruginosa</i>	<dl	< 5.00e2
<i>Staphylococcus</i> spp.	<dl	< 1.00e4
<i>Staphylococcus aureus</i>	2.89e2	< 5.00e2
<i>Streptococcus</i> spp.	<dl	< 1.00e3

COMMENSAL OVERGROWTH MICROBES

<i>Desulfovibrio</i> spp.	3.85e6	< 7.98e8
<i>Methanobacteriaceae</i> (family)	6.45e7	< 3.38e8

INFLAMMATORY & AUTOIMMUNE-RELATED BACTERIA

<i>Citrobacter</i> spp.	<dl	< 5.00e6
<i>Citrobacter freundii</i>	2.82e6 High ↑	< 5.00e5
<i>Klebsiella</i> spp.	<dl	< 5.00e3
<i>Klebsiella pneumoniae</i>	<dl	< 5.00e4
<i>M. avium</i> subsp. <i>paratuberculosis</i>	<dl	< 5.00e3
<i>Proteus</i> spp.	<dl	< 5.00e4
<i>Proteus mirabilis</i>	<dl	< 1.00e3

COMMENSAL INFLAMMATORY & AUTOIMMUNE-RELATED BACTERIA

<i>Enterobacter</i> spp.	7.89e5	< 5.00e7
<i>Escherichia</i> spp.	1.92e7	< 3.80e9
<i>Fusobacterium</i> spp.	1.02e6	< 1.00e8
<i>Prevotella</i> spp.	5.56e5	< 1.00e8

FUNGI/YEAST

FUNGI/YEAST

	Result	Reference
<i>Candida</i> spp.	<dl	< 5.00e3
<i>Candida albicans</i>	<dl	< 5.00e2
<i>Geotrichum</i> spp.	<dl	< 3.00e2
<i>Microsporidium</i> spp.	<dl	< 5.00e3
<i>Rhodotorula</i> spp.	<dl	< 1.00e3

VIRUSES

VIRUSES

	Result	Reference
Cytomegalovirus	<dl	< 1.00e5
Epstein-Barr Virus	<dl	< 1.00e7

PARASITES

PROTOZOA

	Result	Reference
<i>Blastocystis hominis</i>	<dl	< 2.00e3
<i>Chilomastix mesnili</i>	<dl	< 1.00e5
<i>Cyclospora</i> spp.	<dl	< 5.00e4
<i>Dientamoeba fragilis</i>	<dl	< 1.00e5
<i>Endolimax nana</i>	2.12e2	< 1.00e4
<i>Entamoeba coli</i>	<dl	< 5.00e6
<i>Pentatrichomonas hominis</i>	<dl	< 1.00e2

WORMS


<i>Ancylostoma duodenale</i>	Not Detected	Not Detected
<i>Ascaris lumbricoides</i>	Not Detected	Not Detected
<i>Necator americanus</i>	Not Detected	Not Detected
<i>Trichuris trichiura</i>	Not Detected	Not Detected
<i>Taenia</i> spp.	Not Detected	Not Detected

INTESTINAL HEALTH MARKERS



DIGESTION

	Result	Reference
Steatocrit	<dl 	< 15 %
Elastase-1	658 	> 200 ug/g

GI MARKERS

β-Glucuronidase	934 	< 2486 U/mL
Occult Blood - FIT	<dl 	< 10 ug/g

IMMUNE RESPONSE

Secretory IgA	<210 L 	510 - 2010 ug/g
Anti-gliadin IgA	53 	< 175 U/L
Eosinophil Activation Protein (EDN, EPX)	<dl 	< 2.34 ug/g

INFLAMMATION

Calprotectin	17 	< 173 ug/g
--------------	---	------------

ADD-ON TESTS

Zonulin	98.9 	< 175 ng/g
---------	---	------------

H. PYLORI ANTIBIOTIC RESISTANCE GENES

	Result	Reference
Amoxicillin	N/A	Negative
<i>Genes associated with amoxicillin resistance</i>		
PBP1A S414R	N/A	
PBP1A T556S	N/A	
PBP1A N562Y	N/A	

	Result	Reference
Clarithromycin	N/A	Negative
<i>Genes associated with clarithromycin resistance</i>		
A2142C	N/A	
A2142G	N/A	
A2143G	N/A	

	Result	Reference
Fluoroquinolones	N/A	Negative
<i>Genes associated with fluoroquinolone resistance</i>		
gyrA N87K	N/A	
gyrA D91N	N/A	
gyrA D91G	N/A	
gyrB S479N	N/A	
gyrB R484K	N/A	

	Result	Reference
Tetracycline	N/A	Negative
<i>Genes associated with tetracycline resistance</i>		
A926G	N/A	
AGA926-928TTC	N/A	