

DAHLSTROM, VERA

For Surgery Use ☐ Urgent ☐ Ring Patient ☐ Make Appointment ☐ Note in Chart ☐ File ☐

Patient **TOGNOLA, DONNA**
Patient Address **PO BOX 181 ATHERTON QLD 4883**
Sex **F** Age **41 years** DOB **14/01/1984**
Report For **DAHLSTROM, VERA**
Ref. by/copy to **DAHLSTROM, VERA**

UR No.

Requested	29/01/2025	
Collected	29/01/2025	11:56 AM
Reported	14/03/2025	06:29 AM

RECOLLECTION/INAPPROPRIATE SPECIMENS

Test not performed:
HLA TYPING FOR COELIAC

Patient Unable to be Contacted.

Pathology Report

DAHLSTROM, VERA

For Surgery Use ☐ Urgent ☐ Ring Patient ☐ Make Appointment ☐ Note in Chart ☐ File ☐

Patient **TOGNOLA, DONNA**

UR No.

Patient Address **PO BOX 181 ATHERTON QLD 4883**

Sex **F** Age **41 years** DOB **14/01/1984**

Report For **DAHLSTROM, VERA**

Ref. by/copy to **DAHLSTROM, VERA**

Requested	29/01/2025	
Collected	29/01/2025	11:56 AM
Reported	14/03/2025	06:29 AM

URINARY IODINE

Creatinine	1.4	mmol/L
Iodine	14	ug/L
Iodine	0.11	umol/L

WHO 2008 guidelines:

Classification of iodine deficiency (Urine iodine ug/L):

> 99	Not iodine deficient
50-99	Mild iodine deficiency
20-49	Moderate iodine deficiency
< 20	Severe iodine deficiency

Levels in excess of 149 ug/L are regarded as adequate in pregnancy.
Levels exceeding 300 ug/L (or above 500 ug/L in pregnancy) may carry a "Risk of adverse health consequences".

Pathology Report

DAHLSTROM, VERA

For Surgery Use ☐ Urgent ☐ Ring Patient ☐ Make Appointment ☐ Note in Chart ☐ File ☐

Patient	TOGNOLA, DONNA	UR No.	
Patient Address	PO BOX 181 ATHERTON QLD 4883		
Sex	F	Age	41 years
DOB	14/01/1984	Requested	29/01/2025
Report For	DAHLSTROM, VERA	Collected	29/01/2025 11:56 AM
Ref. by/copy to	DAHLSTROM, VERA	Reported	14/03/2025 06:29 AM

Date	29/01/25
Time	11:56
Lab No	96191260

Thyroglobulin AbII	< 1.3	IU/mL (< 4.6)
Thy. Peroxidase Ab	73	IU/mL (< 60)

Please note that as of 06/9/2021, QML Pathology changed to a reformulated Atellica Thyroglobulin Antibody (TgAbII) assay. The reference interval has been updated. Differences in individual patient results may be observed compared to the previous method. If further information is required please contact a Chemical Pathologist on (07) 3121 4444.

Pathology Report