

## Laboratory Analysis Report

Name	: Ms / Olena Zynovieva	Lab ID	: 20615508
MRN	: 50498-0	Emirates / Passport ID	:
Gender	: Female	Reference No	:
Age / DOB	: 36 Y / 27-11-1988	Reg Date	: 18-AUG-2025 06:30 PM
Client Name	: York Diagnostic Laboratories	Collection Date	: 18-AUG-2025 06:30 PM
Referred by	:	Reporting Date	: 18-AUG-2025 09:40 PM
		Nationality	: Ukraine

## CLINICAL CHEMISTRY REPORT

Test	Result	Unit	Reference Range	Methodology
<b>*Folate</b>	15.1	ng/mL	3.1 - 20.5	CMIA
<p><i>The folic acid tests are often done in conjunction with tests for Vitamin B12 levels. Low serum folate levels reflect the first stage of negative folate balance, and precede tissue depletion. Low red-blood-cell folate values reflect the second stage of negative folate balance, and more closely correlate with tissue levels and megaloblastic anemia. Methotrexate, aminopterin, and folinic acid (Leucovorin) are chemotherapeutic agents, cross react with folate binding protein in folate assay. Samples to be tested for folate should be protected from light. Light accelerates the degradation of folate. Folate deficiency is typically associated with serum levels less than 3.5 ng/mL or RBC levels less than 150 ng/mL.</i></p> <p><i>Reference: Alinity kit insert B8P140, November 2017.</i></p> <p><i>**Kindly note the change in Methodology and Reference ranges effective from 27/01/2024.</i></p>				
<b>*Vitamin B12</b>	602	pg/mL	187 - 883	CMIA
<p><i>The diagnosis of B12 deficiency cannot be solely based on serum or plasma B12 levels. Further testing for folic acid, intrinsic factor blocking antibodies, holotranscobalamin, homocysteine, and/or methylmalonic acid is suggested for symptomatic patients with hematological or neurological abnormalities.</i></p> <p><i>Adult patients' reference: Alinity kit insert B7P670, December 2017.</i></p> <p><i>Pediatric Reference range: Pediatric Reference Intervals - American Association of Clinical Chemistry; Eight Edition - 2021, (age 5 days - 19 years).</i></p> <p><i>**Kindly note the change in Methodology and Reference ranges effective from 11/01/2024.</i></p>				
<b>#Active B12 (Holo-Transcobalamin)</b>	In Progress	pmol/L	25.1 - 165.0	

### End of Report

Sample Type : Serum - 25080004142

Verified by : Jamsheena Panthalenkunnan

Verified on : 18-AUG-2025 08:56 PM



Dr. Samar Hourieh NC  
Specialist Clinical Pathology  
DHA - P - 0218044  
**Final Report**  
Page 1 of 2

Dr. M. Jay Al Khatib PhD, UK  
Laboratory Director  
License No DHA-P-0053297

Dr. Ossama Al Babbili PhD, Germany  
Managing Director  
License No DHA/LS/2992011/245185



## Laboratory Analysis Report

Name : Ms / Olena Zynovieva

Lab ID : 20615508

MRN : 50498-0

Emirates / Passport ID :

Gender : Female

Reference No :

Age / DOB : 36 Y / 27-11-1988

Reg Date : 18-AUG-2025 06:30 PM

Client Name : York Diagnostic Laboratories

Collection Date : 18-AUG-2025 06:30 PM

Referred by :

Reporting Date : 18-AUG-2025 09:40 PM

Nationality : Ukraine

## CLINICAL CHEMISTRY REPORT

\* Tests marked with "\*" are under ISO 15189:2012 scope of Accreditation

- Samples are processed on the same day of request unless indicated.(#)Result obtained from an external accredited laboratory

- Results reported are for the samples received and reference range is age related when applicable



YDL  
Lic. # JLT 65274  
DUBAI - U.A.E.  
Samar Hourieh

Dr. Ossama Al Babbili PhD, Germany  
Managing Director

License No DHA/LS/2992011/245185

Dr. Samar Hourieh NC  
Specialist Clinical Pathology

DHA - P - 0218044

Final Report

Page 2 of 2

Dr. M. Jay Al Khatib PhD, UK  
Laboratory Director

License No DHA-P-0053297

