

D'HOTMAN DE VILLIERS, ALAIN
10 SUMACH PL, PALM BEACH. 4221
Phone: 0408781861
Birthdate: 03/08/1967 Sex: M Medicare Number: 4143164365
Your Reference: E678F5E652 Lab Reference: 527122256-E-E047
Laboratory: SNP
Addressee: DR SUZANNE E BLUM Referred by: DR SUZANNE E BLUM

Name of Test: S- PSA
Requested: 30/01/2025 Collected: 03/04/2025 Reported: 03/04/2025
18:23

Clinical notes: Telehealth, Borderline prostatomegaly on CT scan

Clinical Notes : Telehealth, Borderline prostatomegaly on CT
scan

Prostate Specific Antigen (PSA)

Date	Latest Results		Reference	Units
	28-Apr-14	03-Apr-25		
Time	1100	0811		
Lab Id.	596712221	527122256		
Total PSA	0.89	2.8	(<3.0)	ug/L
Free PSA	0.23	0.37		ug/L
% Free PSA	25.8	13.2		%

Comments on Collection 03-Apr-25 0811:
Prostate Cancer Foundation and Cancer Council Australia PSA testing
guidelines 20 Jan 2016 www.prostate.org.au (NHMRC approved).
Although PSA is <=3.0 ug/L a free to total PSA ratio of <25% suggests
increased risk for prostate cancer. **Consider further investigation**

S

PDF Image Enhanced Report

A PDF version of this report with images is available until 03-04-2026. Copy
and paste the URL below into your web browser and use PIN 6461 to access the
report.

<https://sdrviewer.apps.sonichealthcare.com/?GUID=E97C55CE-1064-11F0-B238-9305DA254398&hostCode=SNP&shareType=1>

Sullivan Nicolaides Pty Ltd. ABN 38 078 202 196. NATA/RCPA Accreditation No
1964

Tests Completed: PSA, Free PSA, % Free PSA
Tests Pending :
Sample Pending :

D'HOTMAN DE VILLIERS, ALAIN
10 SUMACH PL, PALM BEACH. 4221

Phone: 0408781861

Birthdate: 03/08/1967 Sex: M Medicare Number: 4143164365

Your Reference: BD7B6EBE17 Lab Reference: 527122255-E-E186

Laboratory: SNP

Addressee: DR JESSE B CARROLL Referred by: DR JESSE B CARROLL

Name of Test: /H.PYLORI VIRTUAL

Requested: 21/03/2025 Collected: 03/04/2025 Reported: 04/04/2025
14:23

Clinical notes: ? h.pylori infection

Clinical Notes : ? h.pylori infection

Helicobacter pylori

	Latest Results	
Date	01-Nov-23	03-Apr-25
Time F-Fast	0820 F	0826 F
Lab Id.	681487529	527122255 Reference Units

Urea Breath Negative Negative

Comments on Collection 03-Apr-25 0826 F:

A Negative result for Faecal Helicobacter antigen and or Urea Breath Test in most cases indicates no active infection with Helicobacter pylori.

MN

Sullivan Nicolaides Pty Ltd. ABN 38 078 202 196. NATA/RCPA Accreditation No 1964

Tests Completed: Urea Breath

Tests Pending :

Sample Pending :