



General enquiries (08) 9371 4200
Results (08) 9371 4340

Clinipath Pathology Pty Ltd trading as Clinipath Pathology
and Bunbury Pathology, ABN 57 008 811 185, a subsidiary
of Sonic Healthcare Limited (APA) ABN 24 004 196 909

NATA Accreditation No. 2619

COPY

RECEIVED
19 OCT 2025

Dr Anthony King

FRANKEL ST MEDICAL
66 FRANKEL STREET
CAREY PARK WA 6230

BU11

Vicki WARNER

Lab ID : **421025446**

Your Ref :

42/13 Wakefield Cres
Australind 6233

Requested : 17-Oct-25

Collected : 17-Oct-25

Received : 17-Oct-25 16:30

DOB : 16-Aug-1961 (64 Yrs) Printed : 17-Oct-25 16:56

Gender : Female

Ph : 0428522235

<u>Glucose/C-Peptide</u>					Current Result		
Date	22/05/23	10/07/23	27/02/24	19/03/25	17/10/25	Units	Reference
Time		14:55		13:19			
Lab ID	492780875	493030039	422267290	497783214	421025446		
Status	Unknown	Random		Random			
Glucose Rand.	4.5		5.3		4.9	mmol/L	(3.0-7.7)

Glucose Rand. Note: Reference Interval change from 7/6/21.

Comments on Latest Results 17/10/25 Unkwn Lab No 421025446 :

Glucose Random

The glucose result is within normal limits. Diabetes is unlikely.

In this age group the NHMRC guidelines suggest re-testing in 3 years.

<u>Haematology</u>					Current Result		
Date	24/11/23	27/02/24	07/03/25	19/03/25	17/10/25	Units	Reference
Time	15:39		10:39	13:19			
Lab ID	494283955	422267290	421389865	497783214	421025446		
Haemoglobin	128	125	136	136	132	g/L	(115-165)
RCC	4.1	4.1	4.4	4.4	4.3	x10 ¹² /L	(3.8-5.8)
Haematocrit	0.38	0.37	0.40	0.40	0.40		(0.36-0.47)
MCV	93	92	90	92	92	fL	(80-100)
MCH	31	31	31	31	31	pg	(27-32)
MCHC	335	334	343	339	332	g/L	(310-360)
RDW	13.0	13.4	13.7	14.1	13.5		(10-15)
WCC	6.7	7.1	6.6	6.1	6.2	x10 ⁹ /L	(4.0-11.0)
Neutrophils	3.2	4.1	4.4	3.5	3.4	x10 ⁹ /L	(2.0-7.5)
Lymphocytes	1.7	1.9	1.3	1.7	1.8	x10 ⁹ /L	(1.2-4.0)
Monocytes	0.6	0.6	0.6	0.6	0.7	x10 ⁹ /L	(0.2-1.0)
Eosinophils	0.2	0.4	0.2	0.3	0.3	x10 ⁹ /L	(0.0-0.5)
Basophils	0.0	0.0	0.0	0.1	0.0	x10 ⁹ /L	(0.0-0.1)
NRBC	0.2					/100 WBC	(<1.0)
Platelets	236	240	261	267	226	x10 ⁹ /L	(150-400)

Comments on Latest Results 17/10/25 Unkwn Lab No 421025446 :

FBC

The full blood count parameters are within the acceptable ranges.

Comments on 19/03/25 1319 Lab No 497783214 :

FBC

The full blood count parameters are within the acceptable ranges.

Comments on 07/03/25 1039 Lab No 421389865 :

FBC

The full blood count parameters are within the acceptable ranges.

Comments on 27/02/24 Unkwn Lab No 422267290 :

FBC

The full blood count parameters are within the acceptable ranges.

Comments on 24/11/23 1539 Lab No 494283955 :

FBC

The full blood count parameters are within the acceptable ranges.



10 AM
RECEIVED

19 OCT 2025

General enquiries (08) 9371 4200
Results (08) 9371 4340

Clinipath Pathology Pty Ltd trading as Clinipath Pathology
and Bunbury Pathology, ABN 57 008 811 185, a subsidiary
of Sonic Healthcare Limited (APA) ABN 24 004 196 909

NATA Accreditation No. 2619

Dr Anthony King

BU11

FRANKEL ST MEDICAL
66 FRANKEL STREET
CAREY PARK WA 6230

Vicki WARNER

Lab ID : **421025446**

Your Ref :

42/13 Wakefield Cres
Australind 6233

Requested : 17-Oct-25
Collected : 17-Oct-25
Received : 17-Oct-25 16:30
Printed : 17-Oct-25 18:31

DOB : 16-Aug-1961 (64 Yrs)
Gender : Female
Ph : 0428522235

<u>Liver Function</u>					Current Result	Units	Reference
Date	22/05/23	10/07/23	27/02/24	19/03/25	17/10/25		
Time		14:55		13:19			
Lab ID	492780875	493030039	422267290	497783214	421025446		
AST	28	26	29	30	23	U/L	(10-35)
ALT	32 H	24	27	29	21	U/L	(5-30)
ALP	48	56	59	49	55	U/L	(30-110)
GGT	27	20	21	17	16	U/L	(5-35)
Total Bilirubin	9	8	6	8	7	umol/L	(3-15)
Protein	79	69	73	74	76	g/L	(63-80)
Albumin	46 H	41	44	45	45	g/L	(34-45)
Globulin	33	28	29	29	31	g/L	(23-39)

<u>Renal function</u>					Current Result	Units	Reference
Date	10/07/23	27/02/24	07/03/25	19/03/25	17/10/25		
Time			10:39	13:19			
Lab ID	493030039	422267290	421389865	497783214	421025446		
Urea	4.9	5.8	5.7	5.9	6.9	mmol/L	(3.0-8.5)
Creatinine	62	71	58	64	58	umol/L	(45-85)
eGFR	> 90	79	> 90	89	> 90		(> 59)
Sodium	132 L	132 L	138	136	137	mmol/L	(135-145)
Potassium	4.4	4.0	4.4	4.1	4.1	mmol/L	(3.5-5.5)
Chloride	97	99	103	103	102	mmol/L	(95-110)
Bicarbonate	27	25	26	27	24	mmol/L	(20-32)

Renal Function eGFR calculated using CKD EPI from 21-05-13.

Comments on Latest Results 17/10/25 Unkwn Lab No 421025446 :

Renal Function

Note: eGFR units are mL/min/1.73m2.



General enquiries (08) 9371 4200
Results (08) 9371 4340

Clinipath Pathology Pty Ltd trading as Clinipath Pathology
and Bunbury Pathology, ABN 57 008 811 185, a subsidiary
of Sonic Healthcare Limited (APA) ABN 24 004 196 909

NATA Accreditation No. 2819

RECEIVED

19 OCT 2025

Dr Anthony King

FRANKEL ST MEDICAL
66 FRANKEL STREET
CAREY PARK WA 6230

BU11

Vicki WARNER

Lab ID : **421025446**

Your Ref :

42/13 Wakefield Cres
Australind 6233

Requested : 17-Oct-25

Collected : 17-Oct-25

Received : 17-Oct-25 16:30

DOB : 16-Aug-1961 (64 Yrs) Printed : 17-Oct-25 18:31

Gender : Female

Ph : 0428522235

<u>Lipids</u>	11/01/21	22/05/23	10/07/23	19/03/25	Current Result 17/10/25	Units	Reference
Date	08:05		14:55	13:19			
Time							
Lab ID	432851834	492780875	493030039	497783214	421025446		
Status	Fasting	Unknown	Random	Random	Unknown		
Cholesterol	4.6	5.5 H	4.6	4.8	4.6	mmol/L	(<5.0)
Triglyceride	0.5	0.4	0.6	0.3	0.2	mmol/L	(<2.0)
HDL Chol	1.9	2.3	2.0	2.0	1.9	mmol/L	(>1.0)
Coronary Risk Rat	2.4	2.4	2.3	2.4	2.4		(<3.5)
LDL Chol	2.5	3.0 H	2.3	2.7	2.6	mmol/L	(<3.0)
Non HDL Chol	2.7	3.2	2.6	2.8	2.7	mmol/L	(<3.9)

Lipids & HDL Non-fasting samples now accepted for lipids.

Comments on Latest Results 17/10/25 Unkwn Lab No 421025446 :

HDL & CHOL

TARGET LEVELS:

The National Vascular Disease Prevention Alliance (NVDPA) treatment target levels for high risk people (known coronary heart and other arterial disease, diabetes, chronic renal failure, Aboriginal and Torres Strait Islander peoples) are:

Total Cholesterol < 4.0 mmol/L
HDL-Cholesterol > = 1.00 mmol/L
Fasting Triglycerides < 2.0 mmol/L
Non-HDL Cholesterol < 2.5 mmol/L

Increased non-HDL Cholesterol is a significant marker for subclinical atherosclerosis (ref: Cardiology Today 2013; 3(2) : pp25-27).

<u>Iron Studies</u>	24/11/23	27/02/24	07/10/24	19/03/25	Current Result 17/10/25	Units	Reference
Date	15:39		12:53	13:19			
Time							
Lab ID	494283955	422267290	420681688	497783214	421025446		
Iron	14		14	21		umol/L	(5-30)
Transferrin	33		34	34		umol/L	(25-40)
Saturation	21		21	31		%	(10-45)
Ferritin	145	175	119	110	132	ug/L	(30-500)

Comments on Latest Results 17/10/25 Unkwn Lab No 421025446 :

Ferritin

This result is within the normal reference range.

<u>General Chemistry</u>	22/05/23	19/03/25	Current Result 17/10/25	Units	Reference
Date		13:19			
Time					
Lab ID	492780875	497783214	421025446		
Uric Acid	0.17	0.20	0.17	mmol/L	(0.15-0.40)



General enquiries (08) 9371 4200
Results (08) 9371 4340

Clinipath Pathology Pty Ltd trading as Clinipath Pathology
and Bunbury Pathology, ABN 57 008 811 185, a subsidiary
of Sonic Healthcare Limited (APA) ABN 24 004 196 909

NATA Accreditation No. 2619

RECEIVED

19 OCT 2025

Dr Anthony King

FRANKEL ST MEDICAL
66 FRANKEL STREET
CAREY PARK WA 6230

BU11

Vicki WARNER

Lab ID : **421025446**

Your Ref :

42/13 Wakefield Cres
Australind 6233

Requested : 17-Oct-25

Collected : 17-Oct-25

Received : 17-Oct-25 16:30

Printed : 17-Oct-25 18:31

DOB : 16-Aug-1961 (64 Yrs)

Gender : Female

Ph : 0428522235

Thyroid Function

Date	24/11/23	27/02/24	07/10/24	19/03/25	Current Result 17/10/25	Units	Reference
Time	15:39		12:53	13:19			
Lab ID	494283955	422267290	420681688	497783214	421025446		
TSH	2.63		2.64	2.71	2.72	mU/L	(0.4-4.0)
Free T4	1.1	1.2	1.1	1.0	1.3	pmol/L	(9-19)
Free T3	3.0	3.1				pmol/L	(3.0-5.5)

Comments on Latest Results 17/10/25 Unkwn Lab No 421025446 :

TFTB

Euthyroid levels.

C Reactive Protein

Date	10/07/23	07/10/24	07/03/25	19/03/25	Current Result 17/10/25	Units	Reference
Time	14:55	12:53	10:39	13:19			
Lab ID	493030039	420681688	421389865	497783214	421025446		
CRP	<1	<1	<1	<1	<1	mg/L	(<5)

Comments on Latest Results 17/10/25 Unkwn Lab No 421025446 :

C Reactive Protein

Note: This test is not suitable as a prognostic
tool for assessing cardiovascular risk. High sensitivity
CRP (hsCRP) should be requested in such cases.

Vitamin B12

Date	26/11/13	22/05/23	27/02/24	Current Result 17/10/25	Units	Reference
Time	12:45					
Lab ID	447851529	492780875	422267290	421025446		
Vitamin B12	424	985 H	778 H	> 1476 H	pmol/L	(139-651)

Comments on Latest Results 17/10/25 Unkwn Lab No 421025446 :

Vitamin B12

Raised total B12 can be seen with supplements, liver injury and
haematological malignancy.

General enquiries (08) 9371 4200
Results (08) 9371 4340

Clinipath Pathology Pty Ltd trading as Clinipath Pathology
and Bunbury Pathology, ABN 57 008 611 185, a subsidiary
of Sonic Healthcare Limited (APA) ABN 24 004 196 909

NATA Accreditation No. 2619

Dr Anthony King

BU11

Vicki WARNER

FRANKEL ST MEDICAL
66 FRANKEL STREET
CAREY PARK WA 6230

Lab ID : **421025446**

Your Ref :

42/13 Wakefield Cres
Australind 6233

Requested : 17-Oct-25

Collected : 17-Oct-25

Received : 17-Oct-25 16:30

DOB : 16-Aug-1961 (64 Yrs) Printed : 18-Oct-25 13:46

Gender : Female

Ph : 0428522235

<u>Vitamin D</u>			<u>Current Result</u>		
Date	09/10/14	11/01/21	17/10/25	Units	Reference
Time	08:30	08:05			
Lab ID	437885632	432851834	421025446		
25OH Vit D	134	98	107	nmol/L	(50-150)

Comments on Latest Results 17/10/25 Unkwn Lab No 421025446 :


Medicare rebates for vitamin D testing are available for patients at risk of Vitamin D deficiency such as all those with chronic lack of sun exposure.

As 37% of Vitamin D requests in our practice show deficiency, we presume that your patient complies with the funding criteria. If this is not the case, please contact our accounts dept.

ANZBMS updated Position Statement Vitamin D and health in adults in Australia and New Zealand MJA 196 (11) 2012.

Vitamin D adequacy: > 49 nmol/L at the end of winter (level may need to be 10-20 nmol/L higher at the end of summer, to allow for seasonal decrease).

Mild Deficiency 30-49 nmol/L
Moderate Deficiency 12.5-29 nmol/L
Severe Deficiency < 12.5 nmol/L





General enquiries (08) 9371 4200
Results (08) 9371 4340

Clinipath Pathology Pty Ltd trading as Clinipath Pathology
and Bunbury Pathology, ABN 57 008 811 185, a subsidiary
of Sonic Healthcare Limited (APAI) ABN 24 004 196 909

NATA Accreditation No. 2819

RECEIVED

21 OCT 2025

Dr Anthony King

BU11

FRANKEL ST MEDICAL
66 FRANKEL STREET
CAREY PARK WA 6230

Vicki WARNER

Lab ID : 421025446

Your Ref :

42/13 Wakefield Cres
Australind 6233

Requested : 17-Oct-25

Collected : 17-Oct-25

Received : 17-Oct-25 16:30


DOB : 16-Aug-1961 (64 Yrs) Printed : 20-Oct-25 16:56

Gender : Female

Ph : 0428522235

Lead	Current Result	Units	Reference
Date	17/10/25		
Time			
Lab ID	421025446		
B-Lead	0.04	umol/L	(0-0.23)
B-Lead	0.8	ug/dL	(0-4.9)

Comments on Latest Results 17/10/25 Unkwn Lab No 421025446 :
Current blood lead level below 5ug/dL. This indicates that a person's
exposure to lead is within normal background levels of exposure in
Australia.





General enquiries (08) 9371 4200
Results (08) 9371 4340

Clinipath Pathology Pty Ltd trading as Clinipath Pathology
and Bunbury Pathology, ABN 57 008 811 185, a subsidiary
of Sonic Healthcare Limited (APAC) ABN 24 004 196 909

NATA Accreditation No. 2819

RECEIVED

29 OCT 2025

Dr Anthony King

FRANKEL ST MEDICAL
66 FRANKEL STREET
CAREY PARK WA 6230

BU11

Vicki WARNER

Lab ID : **421025446**

Your Ref :

42/13 Wakefield Cres
Australind 6233

Requested : 17-Oct-25

Collected : 17-Oct-25

Received : 17-Oct-25 16:30

DOB : 16-Aug-1961 (64 Yrs) Printed : 20-Oct-25 15:15

Gender : Female

Ph : 0428522235

Autoantibody Investigation

Antinuclear Abs (ANA) Negative

Comments:

Antinuclear antibodies are tested using indirect immunofluorescence on
Hep2000 substrate and the nomenclature is adapted from the International
consensus for ANA patterns.



Tests Completed: LFT, Renal Function, Electrolytes, Glucose Random, Uric Acid, HDL & CHOL, Ferritin, C Reactive Protein
TFTB, Vitamin B12, VITAMIN D 25 OH, FBC, ANTI NUCLEAR AB. Pending: Lead Blood

Clinical Notes: check up