

BAGER,ARWA

DOB: 03/31/1981
Sex: F
Phone: (305) 788-5319
Patient ID: 236135

Age: 44
Fasting: N

Specimen: MZ614496K
Requisition: 0210765
Lab Reference ID: 5Q173340708
Report Status: FINAL

Collected: 07/18/2025 11:50
Received: 07/18/2025 11:50
Reported: 07/25/2025 03:45

Client #: 29199
KWAPISZ LUKASZ
GASTRO HEALTH CC1
9408 SW 87TH AVE STE 200
MIAMI, FL 33176-2416
Phone: (305) 913-0666
Fax: (305) 913-0663

0 ; FASTING:NO

CALPROTECTIN, STOOL



Analyte	Value
CALPROTECTIN, STOOL	77 mcg/g
Reference Range:	
<50 Normal	
50-120 Borderline	
>120 Elevated	

Calprotectin in Crohn's disease and ulcerative colitis can be five to several thousand times above the reference population (50 mcg/g or less). Levels are usually 50 mcg/g or less in healthy patients and with irritable bowel syndrome. Repeat testing in 4-6 weeks is suggested for borderline values.

Performing Sites

EZ Quest Diagnostics/Nichols SJC-San Juan Capistrano,, 33608 Ortega Hwy, San Juan Capistrano, CA 92675-2042 Laboratory Director: Irina Maramica MD, PhD, MBA

Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - ® and ™ - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

