

BAGER, ARWA

DOB: 03/31/1981 Sex: F Phone: (305) 788-5319 Patient ID: 10513

Age: 44 Fasting: Y

Specimen: MZ763741K Requisition: 0002473 Lab Reference ID: 75115 Report Status: FINAL

Collected: 08/05/2025 05:43 Received: 08/05/2025 05:43 Reported: 08/09/2025 16:56 Client #: 73916914 KAKUMANU, PAVITHRA PARSLEY HEALTH LA 8550 SANTA MONICA BLVD FL 2 WEST HOLLYWOOD, CA 90069-4496 Phone: (833) 447-2775

FASTING:YES

TSH

Analyte	Value
TSH	3.55 mIU/L

Reference Range

> or = 20 Years 0.40-4.50

Pregnancy Ranges First trimester 0.26-2.66

0.55-2.73 Second trimester Third trimester 0.43-2.91

T4, FREE

Analyte	Value	
T4, FREE	1.6	Reference Range: 0.8-1.8 ng/dL

T3, FREE

Analyte	Value	
T3, FREE	3.3	Reference Range: 2.3-4.2 pg/mL

T3 REVERSE, LC/MS/MS

Analyte	Value	
T3 REVERSE, LC/MS/MS	22	Reference Range: 8-25 ng/dL
This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute Chantilly, VA. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.		

Performing Sites

AMD Quest Diagnostics/Nichols Chantilly-Chantilly VA, 14225 Newbrook Dr, Chantilly, VA 20151-2228 Laboratory Director: Patrick W Mason

MI Quest Diagnostics-Miami, 10200 Commerce Pkwy, Miramar, FL 33025-3938 Laboratory Director: Julie L Friedman, MD

Key

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest Diagnostics Incorporated. All rights reserved.

