

## BAGER,ARWA

DOB: 03/31/1981  
Sex: F  
Phone: (305) 788-5319  
Patient ID: 69797

Age: 41  
Fasting:

Specimen: MR443023M  
Requisition: 3948438  
Lab Reference ID: 590591  
Report Status: FINAL

Collected: 08/31/2022 11:00  
Received: 08/31/2022 21:39  
Reported: 09/01/2022 04:15

Client #: 11046  
EISERMANN, JUERGEN  
S FL INST FOR REPROD MED  
7300 SW 62ND PL FL 4  
SOUTH MIAMI, FL 33143-4800  
Phone: (305) 662-7901 ext. 7718  
Fax: (305) 662-7910

## TSH

Analyte	Value
<b>TSH</b>	<b>3.30</b> mIU/L
Reference Range	
> or = 20 Years	0.40-4.50
Pregnancy Ranges	
First trimester	0.26-2.66
Second trimester	0.55-2.73
Third trimester	0.43-2.91

## T4, FREE

Analyte	Value
<b>T4, FREE</b>	<b>1.5</b> Reference Range: 0.8-1.8 ng/dL

## Performing Sites

MI Quest Diagnostics-Miami, 10200 Commerce Pkwy, Miramar, FL 33025-3938 Laboratory Director: Julie L Friedman, MD

## Key

🚨 Priority Out of Range ⚠️ Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

