

BAGER,ARWA

DOB: 03/31/1981
Sex: F
Phone: (305) 788-5319
Patient ID: 236135

Age: 37
Fasting: N

Specimen: MR512889P
Requisition: 0016220
Report Status: FINAL / SEE REPORT

Collected: 12/18/2018 13:46
Received: 12/18/2018 13:47
Reported: 12/19/2018 15:26

Client #: 10630
HERNANDEZ,ALFREDO J
GASTRO HEALTH CARE CC11
3651 S MIAMI AVE STE 907
MIAMI, FL 33133-4205
Phone: (305) 856-7333
Fax: (305) 856-8030

FASTING:NO

▲ CBC (H/H, RBC, INDICES, WBC, PLT)

Analyte	Value	
WHITE BLOOD CELL COUNT	7.8	Reference Range: 3.8-10.8 Thousand/uL
RED BLOOD CELL COUNT	4.49	Reference Range: 3.80-5.10 Million/uL
HEMOGLOBIN	12.3	Reference Range: 11.7-15.5 g/dL
HEMATOCRIT	36.4	Reference Range: 35.0-45.0 %
MCV	81.1	Reference Range: 80.0-100.0 fL
MCH	27.4	Reference Range: 27.0-33.0 pg
MCHC	33.8	Reference Range: 32.0-36.0 g/dL
RDW	12.7	Reference Range: 11.0-15.0 %
▲ PLATELET COUNT	496 H	Reference Range: 140-400 Thousand/uL
MPV	9.8	Reference Range: 7.5-12.5 fL

▲ C-REACTIVE PROTEIN

Analyte	Value	
▲ C-REACTIVE PROTEIN	11.7 H	Reference Range: <8.0 mg/L

COMPREHENSIVE METABOLIC PANEL

Analyte	Value	
GLUCOSE Non-fasting reference interval	101	Reference Range: 65-139 mg/dL
UREA NITROGEN (BUN)	13	Reference Range: 7-25 mg/dL
CREATININE	0.70	Reference Range: 0.50-1.10 mg/dL
eGFR NON-AFR. AMERICAN	111	Reference Range: > OR = 60 mL/min/1.73m2
eGFR AFRICAN AMERICAN	128	Reference Range: > OR = 60 mL/min/1.73m2
BUN/CREATININE RATIO	NOT APPLICABLE	Reference Range: 6-22 (calc)
SODIUM	138	Reference Range: 135-146 mmol/L
POTASSIUM	4.3	Reference Range: 3.5-5.3 mmol/L
CHLORIDE	103	Reference Range: 98-110 mmol/L
CARBON DIOXIDE	28	Reference Range: 20-32 mmol/L
CALCIUM	9.9	Reference Range: 8.6-10.2 mg/dL
PROTEIN, TOTAL	7.3	Reference Range: 6.1-8.1 g/dL

ALBUMIN	4.8	Reference Range: 3.6-5.1 g/dL
GLOBULIN	2.5	Reference Range: 1.9-3.7 g/dL (calc)
ALBUMIN/GLOBULIN RATIO	1.9	Reference Range: 1.0-2.5 (calc)
BILIRUBIN, TOTAL	0.4	Reference Range: 0.2-1.2 mg/dL
ALKALINE PHOSPHATASE	49	Reference Range: 33-115 U/L
AST	18	Reference Range: 10-30 U/L
ALT	12	Reference Range: 6-29 U/L

IRON, TIBC AND FERRITIN PANEL

Analyte	Value	
IRON, TOTAL	122	Reference Range: 40-190 mcg/dL
IRON BINDING CAPACITY	338	Reference Range: 250-450 mcg/dL (calc)
% SATURATION	36	Reference Range: 11-50 % (calc)
FERRITIN	18	Reference Range: 10-154 ng/mL

Performing Sites

MI Quest Diagnostics-Miami, 10200 Commerce Pkwy, Miramar, FL 33025-3938 Laboratory Director: Julie L Friedman, MD

Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

