

SCHWARZ Family Practice ELDERSLIE

37 Hilder Street, Elderslie NSW 2570

PO Box 719, Camden NSW 2570

(02) 4658-0580 (02) 4658-0887

assist with the interpretation of these results.

Requested Tests : UMM*, SYP*, PTQ*, RUL*, RDA*, MMZ*, HIR*, HEP*, FE, FBE*, DVI*, CTD*, BG*

HAEMATOLOGY (FBE-0) on 10/03/2022

Clinical Notes : Pregnant LMP 23/01/2022 EDC 03/11/2022, joint...

	HAEMATOLOGY			
Request Number	11946558	13352317	17185428	17880774
Date Collected	28 Jun 21	21 Aug 21	24 Jan 22	10 Mar 22
Time Collected	11:40	09:37	15:02	14:34
Specimen Type: EDTA				
Hb (105-145) g/L	133	143	146	129
Hct (0.30-0.42)	0.42	0.43	0.45	0.40
RCC (3.3-4.9) x10 ¹² /L	4.8	4.7	4.6	4.2
MCV (79-99) fL	89	93	97	96
MCH (27-34) pg	28	31	32	31
MCHC (320-360) g/L	314	330	325	321
RDW (10.0-17.0) %	15.6	15.3	11.9	12.5
WBC (4.0-14.5) x10 ⁹ /L	6.9	3.9	7.8	5.7
Neut (2.0-11.0) x10 ⁹ /L	4.8	1.8	5.3	3.8
Lymph (1.0-4.0) x10 ⁹ /L	1.3	1.6	1.8	1.1
Mono (0.2-1.0) x10 ⁹ /L	0.7	0.4	0.6	0.7
Eos (< 0.7) x10 ⁹ /L	0.1	0.0	0.1	0.1
Baso (< 0.2) x10 ⁹ /L	0.0	0.0	0.0	0.1
Plat (150-400) x10 ⁹ /L	330	244	312	297

HAEMATOLOGY: FBC parameters are within reference range.

Requested Tests : UMM*, SYP*, PTQ*, RUL*, RDA*, MMZ*, HIR*, HEP*, FE, FBE, DVI*, CTD*, BG*

TREPONEMAL SEROLOGY (SYP-0) on 10/03/2022

Clinical Notes : Pregnant LMP 23/01/2022 EDC 03/11/2022, joint...

SYPHILIS SEROLOGY
Negative

Syphilis (CMIA)
Antibodies to Treponema pallidum NOT detected by chemiluminescent immunoassay (CMIA). This result suggests either no exposure to T. pallidum or very early primary syphilis infection prior to the development of antibodies. If early infection is suspected, please repeat in 14 days.

All testing performed on serum or plasma unless otherwise specified.

Requested Tests : UMM*, SYP, PTQ*, RUL*, RDA*, MMZ*, HIR*, HEP*, FE, FBE, DVI*, CTD*, BG*

RHEUMATIC DISEASE AB (RDA-0) on 10/03/2022

SCHWARZ
Family Practice
ELDESLIE

🏠 37 Hilder Street, Elderslie NSW 2570

📮 PO Box 719, Camden NSW 2570

☎ (02) 4658-0580 📠 (02) 4658-0887

Clinical Notes : Pregnant LMP 23/01/2022 EDC 03/11/2022, joint...

	<u>RHEUMATIC DISEASE ANTIBODIES</u>	
Rheumatoid factor	< 14 IU/mL	(< 14)

Rheumatoid factor (RF) was not detected by direct chemiluminescence assay. Negative RF does not exclude a diagnosis of rheumatoid arthritis as 20-40% of patients with this condition may be seronegative. Measurement of antibodies to cyclic citrullinated peptide (CCP) may assist in diagnosis of seronegative patients with rheumatoid arthritis.

All testing performed on serum or plasma unless otherwise specified.

Requested Tests : UMM*, SYP, PTQ*, RUL*, RDA, MMZ*, HIR*, HEP*, FE, FBE, DVI*, CTD*, BG*

HEPATITIS SEROLOGY (HEP-0) on 10/03/2022

Clinical Notes : Pregnant LMP 23/01/2022 EDC 03/11/2022, joint...

	<u>HEPATITIS SEROLOGY</u>	
Hepatitis C Antibody	Not Detected	
Hepatitis B Surface Antigen	Not Detected	

No evidence of current or past Hepatitis C virus (HCV) infection. HCV antibodies may not be detected up to 6 months post exposure. Suggest sending a further sample after an appropriate interval if indicated.

No evidence of current or chronic Hepatitis B virus infection. For investigation of past infection or possible occult infection, please request hepatitis B core antibody. For investigation of immune status please request hepatitis B surface antibody.

All testing performed on serum or plasma unless otherwise specified.

Requested Tests : UMM*, SYP, PTQ*, RUL, RDA, MMZ*, HIR*, HEP, FE, FBE, DVI*, CTD*, BG*

RUBELLA SEROLOGY (RUL-0) on 10/03/2022

Clinical Notes : Pregnant LMP 23/01/2022 EDC 03/11/2022, joint...

	<u>RUBELLA SEROLOGY</u>	
Rubella IgG	23 IU/mL	

Consistent with past infection/vaccination and immunity to Rubella. If a recent infection (or contact during pregnancy) is suspected, suggest Rubella IgM testing.

All testing performed on serum or plasma unless otherwise specified.

Requested Tests : UMM*, SYP, PTQ*, RUL, RDA, MMZ*, HIR*, HEP, FE, FBE, DVI*, CTD*, BG*

MEASLES, MUMPS / ZOSTER (MMZ-0) on 10/03/2022

SCHWARZ
Family Practice
ELDERSLIE

37 Hilder Street, Elderslie NSW 2570
PO Box 719, Camden NSW 2570
(02) 4658-0580 (02) 4658-0887

Clinical Notes : Pregnant LMP 23/01/2022 EDC 03/11/2022,joint...

SEROLOGY

MEASLES SEROLOGY
DETECTED

Measles IgG (EIA)

MUMPS SEROLOGY
DETECTED

Mumps IgG (EIA)

Consistent with past exposure or immunity to Measles.
Consistent with past exposure or immunity to Mumps.

All testing performed on serum or plasma unless otherwise specified.

Requested Tests : UMM*, SYP, PTQ*, RUL, RDA, MMZ, HIR*, HEP, FE, FBE, DVI*, CTD*, BG*

QUANTITATIVE PREG (PTQ-0) on 10/03/2022

Clinical Notes : Pregnant LMP 23/01/2022 EDC 03/11/2022,joint...

Beta hCG

Request Number	18054476	17880774
Date Collected	23 Feb 22	10 Mar 22
Time Collected	15:34	14:34
Specimen Type: Serum		
Quant Beta HCG (Siemens) IU/L	32	16650

Reference Intervals for Pregnancy

Weeks after LMP	Range IU/L	Weeks after LMP	Range IU/L
2 - < 3	0-50	6 - < 7	1,000-50,000
3 - < 4	50-500	7 - < 8	10,000-100,000
4 - < 5	100-5,000	8 - < 10	15,000-200,000
5 - < 6	500-10,000	10 - < 16	10,000-100,000
Non-pregnant reference interval < 5 IU/L			

Requested Tests : UMM*, SYP, PTQ, RUL, RDA, MMZ, HIR*, HEP, FE, FBE, DVI*, CTD*, BG*

VITAMIN D (DVI-0) on 10/03/2022

Clinical Notes : Pregnant LMP 23/01/2022 EDC 03/11/2022,joint...

VITAMIN D

Haemolysis	Nil
Serum 25(OH) Vitamin D	130 nmol/L

Suggested decision limits for Vitamin D status:

Sufficiency	51 -200	nmol/L
Mild deficiency	25 - 50	nmol/L
Marked deficiency	< 25	nmol/L
Toxicity	>250	nmol/L

References: Vitamin D and health in adults in Australia and New Zealand:

Position Statement. MJA 2012 June 18; 196(11),686-687.

Requested Tests : UMM*, SYP, PTQ, RUL, RDA, MMZ, HIR*, HEP, FE, FBE, DVI, CTD*, BG*

URINE MICRO/CULTURE (UMM-0) on 10/03/2022

Clinical Notes : Pregnant LMP 23/01/2022 EDC 03/11/2022,joint...

		<u>URINE EXAMINATION</u>		
Specimen	Midstream	<u>MICROSCOPY</u>		
CHEMISTRY		Leucocytes	3	x10 ⁶ /L (< 10)
		Erythrocytes	5	x10 ⁶ /L (< 10)
		Epithelial cells	3	x10 ⁶ /L (< 10)

A urine with these results is not usually infected. Although culture has been performed, a further report will only be issued if the culture is positive.

We apologise that due to manufacturer's supply issues urine chemistry results are temporarily unable to be routinely performed. If PH, glucose or protein results are required for an individual patient, please request by phoning 02 9005 7277 or 02 9005 7619 within 5 days of receiving this report.

Requested Tests : UMM, SYP, PTQ, RUL, RDA, MMZ, HIR*, HEP, FE, FBE, DVI, CTD*, BG*

HIV - NON COMMERCIAL (HIR-0) on 10/03/2022

Clinical Notes : Pregnant LMP 23/01/2022 EDC 03/11/2022,joint...

HIV SEROLOGY

HIV 1 and 2 Ab/Ag: Negative

This result does not exclude infection with HIV virus. If serum was tested within 3 months of exposure please retest after that time.

All testing performed on serum or plasma unless otherwise specified.

Requested Tests : UMM, SYP, PTQ, RUL, RDA, MMZ, HIR, HEP, FE, FBE, DVI, CTD*, BG*

BLOOD GROUP (BG-0) on 10/03/2022

Clinical Notes : Pregnant LMP 23/01/2022 EDC 03/11/2022,joint...

		<u>BLOOD GROUP</u>	
Specimen Type: EDTA		A	Rh(D) Positive
Blood Group			

Requested Tests : UMM, SYP, PTQ, RUL, RDA, MMZ, HIR, HEP, FE, FBE, DVI, CTD*, BG

SCHWARZ
Family Practice
ELDERSLIE

🏠 37 Hilder Street, Elderslie NSW 2570
📮 PO Box 719, Camden NSW 2570
☎ (02) 4658-0580 📠 (02) 4658-0887

AUTOIMMUNE (CTD-0) on 10/03/2022

Clinical Notes : Pregnant LMP 23/01/2022 EDC 03/11/2022, joint...

AUTOIMMUNE SEROLOGY

Anti-nuclear antibodies Negative

The ANA was negative at the screening dilution of 1:80. A negative ANA excludes lupus in 95% of cases. Consider ENA screening for patients with features of Sjogren's Syndrome (to detect antibodies to SS-A) and antibodies to cardiolipin, beta-2 glycoprotein 1, and lupus anticoagulant for patients with features of the anti-phospholipid antibody syndrome.

Antibodies to Extractable Nuclear Antigens (ENA)	
Antibody to Sm	Not detected
Antibody to nRNP	Not detected
Antibody to SSA (Ro60)	Not detected
Antibody to SSA (Ro52)	Not detected
Antibody to SSB	Not detected
Antibody to Scl-70	Not detected
Antibody to Jo-1	Not detected
Antibody to Ribo-P	Not detected

Antibodies to the extractable nuclear antigens listed above were not detected by screening with a multiplex immunoassay. Antibodies to additional disease-associated ENAs (including PM-Scl and others) are not detectable with the current assay.

All testing performed on serum or plasma unless otherwise specified.

Requested Tests : UMM, SYP, PTQ, RUL, RDA, MMZ, HIR, HEP, FE, FBE, DVI, CTD, BG

Yours sincerely,


Dr Anne Trang
436689FK