



Referrer Ms Amy Phillips

Address AIM NATURAL HEALTHCARE SHOP 1 132 WILLOUGHBY ROAD
CROWS NEST NSW 2065

Phone 0488519589

Your ref.

Address 1/109 WINGEWARRA STREET
DUBBO NSW 2830

Phone 0411413945

Copy to

Requested 27/05/2022
Collected 27/05/2022 08:05 AEDT
Received 27/05/2022 08:07 AEDT

25-OH Vitamin D

Test Name	Result	Units	Reference Interval
Vitamin D	66	nmol/L	50 - 140

Comments

According to the Position Statement 'Vitamin D and health in adults in Australia and New Zealand' MJA, 196(11):686-687, 2012, Vitamin D status is defined as:

Mild Deficiency	30	-	49 nmol/L
Moderate Deficiency	12.5	-	29 nmol/L
Severe Deficiency	<12.5		nmol/L

Vitamin D adequacy can be defined as a level >49 nmol/L at the end of winter - the level may need to be 10 - 20 nmol/L higher at the end of summer, to allow for seasonal decrease.

From 1st November 2014, Medicare rebates for vitamin D testing will apply to patients at risk of Vitamin D deficiency such as chronic lack of sun exposure.

NATA ACCREDITATION NO 2178

Reported on 27-05-2022 23:55

Thyroid Function

Test Name	Result	Units	Reference Interval
TSH	2.13	mIU/L	0.40 - 3.50
Free T4	13.5	pmol/L	9.0 - 19.0
Free T3	4.9	pmol/L	2.6 - 6.0

Comments

Euthyroid values.

NATA ACCREDITATION NO 2178

Reported on 27-05-2022 23:15



Referrer Ms Amy Phillips

Address AIM NATURAL HEALTHCARE SHOP 1 132 WILLOUGHBY ROAD
CROWS NEST NSW 2065

Phone 0488519589

Your ref.

Address 1/109 WINGEWARRA STREET
DUBBO NSW 2830

Phone 0411413945

Copy to

Requested 27/05/2022

Collected 27/05/2022 08:05 AEDT

Received 27/05/2022 08:07 AEDT

TSH Receptor Antibodies

TSH Receptor Antibodies	<0.8	IU/L	<2.1
-------------------------	------	------	------

NATA ACCREDITATION NO 2178

Reported on 30-05-2022 14:39