

LABORATORY 3427-2262 245 RYRIE ST GEELONG VIC 3220 PH: 03 5225 1100

PATIENT: MRS SARAH KATE PRICE 8 GROSVENOR DRIVE WANDANA HEIGHTS VIC 3216 PH: 0488456793 DOB: 16/10/1986 SEX: FEMALE UR#: REF:	REQUEST DETAILS: LAB REF: 22-67005421-GLS-0 REFERRED: 28/07/22 COLLECTED: 28/07/22 09:10 REPORTED: 28/07/22 17:03 TESTED: 28/07/22 BATCH: 0 0	MS MILLY DABROWSKI 293 LA TROBE TERRACE GEELONG VIC 3220
---	--	---

GLUCOSE

SPECIMEN: Serum

Date	Glucose Time	Request	Collection Type	Specimen	Glucose
28/07/2022	09:10	22-67005421	Fasting	serum	5.0
22/02/2021		21-50464988			
Units					mmol/L

Comments:

Normal fasting glucose.

Glucose Reference Ranges

Random 3.0 - 6.9 mmol/L
 Fasting 3.0 - 5.4 mmol/L
 1 Hour post prandial 3.0 - 11.0 mmol/L
 2 Hour post prandial 3.0 - 7.7 mmol/L

Specimen Legend:

fl-ox = Fluoride oxalate, serum = Serum, np = Non-Preserved

B
I
O
C
H
E
M
I
S
T
R
Y

PATIENT: MRS SARAH KATE PRICE

ALL TESTS COMPLETE

PANEL CODES: GLS-R